

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	01 FEB 2018

**TRANSITION ROUTES:**

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
AKGAS	AKGAS.NEELL6	AKGAS	AKGAS						AT/ABOVE FL250
			GEDEE	076.45	73.64	10200		AT/ABOVE 16000	
			SNAAG	078.63	24.00	6500		AT/ABOVE 10000	
BAITT	BAITT.NEELL6	BAITT	BAITT						AT/ABOVE FL250
			LEWYY	351.17	91.01	10000	4400	AT/ABOVE 16000	
			SNAAG	351.59	23.99	5000	1600	AT/ABOVE 10000	
HAMND	HAMND.NEELL6	HAMND	HAMND						AT/ABOVE FL250
			BTWEN	058.72	58.31	10000		AT/ABOVE FL210	
			CKING	060.38	18.34	9000		AT/ABOVE 16000	
			SNAAG	060.91	24.00	5000		AT/ABOVE 10000	

**ARRIVAL ROUTE DESCRIPTION:**

FROM SNAAG ON TRACK 049.31/9.70 TO NEELL.

LANDING RWY 07L: FROM NEELL ON TRACK 026.18/14.72 TO CROSS SHNKN AT OR ABOVE 3000, THEN ON TRACK 061.33/5.97 TO CROSS AINKK AT OR ABOVE 2000. EXPECT ILS OR LOC/DME RWY 07L APPROACH.

LANDING RWY 07R: FROM NEELL ON TRACK 026.18/14.72 TO CROSS SHNKN AT OR ABOVE 3000, THEN ON TRACK 055.09/3.53 TO CROSS ELIAS AT OR ABOVE 2000. EXPECT ILS OR LOC/DME RWY 07R APPROACH.

**PROCEDURAL DATA NOTES:**

- NOTE: RNAV 1
- NOTE: GPS REQUIRED
- NOTE: TURBOJET AIRCRAFT ONLY



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	01 FEB 2018

NOTE: EXPECT RUNWAY ASSIGNMENT FROM ANCHORAGE APPROACH ON INITIAL CONTACT.

**FIXES AND/OR HOLDING PATTERNS:**

CHART HOLDING AT SNAAG (HOLD SW, RT, 060.91 INBOUND, 10 NM LEGS.) CHART HOLDING AT CKING (HOLD SW, RT, 060.38 INBOUND, 10 NM LEGS.)

**COMMUNICATIONS:**

ANCHORAGE APP CON, ATIS

**AIRPORTS SERVED:**

AIRPORT NAME	CITY	STATE
TED STEVENS ANCHORAGE INTL	ANCHORAGE	AK

**LOST COMMUNICATIONS PREFERENCES:**

**REMARKS:**

THIS AMENDMENT DOES NOT QUALIFY AS A PERIODIC REVIEW

**ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT: NOT CONDUCTED  
REFERENCE MAGNETIC VARIATION = PANC 16E/2020  
DO NOT CHART MOCAS.  
CHART LOCALIZERS: I-ANC, I-TGN.

**FLIGHT INSPECTED BY:**

FLIGHT INSPECTION NOT REQUIRED, ROBERT STUCKERT, MANAGER

**ORGANIZATION:**

AJW-331

**DATE:**

07/31/2015

Flight Inspected Signature:

*Digitally signed by*

**VICTOR B NASO**

Nov 21, 2017

**DEVELOPED BY:**

BRYAN BLUE **BRYAN W BLUE**

AJV-5411

8/9/2017

Developed By Signature:

Oct 25, 2017

*Digitally signed by*

**CASIMIR L TABAKA**

Nov 21, 2017

**APPROVED BY:**

GEORGE DAVIS

Approved By Signature:



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	01 FEB 2018

**CHANGES:**

1. CHANGED AIRPORT MAGVAR FROM 18E/2020 TO 16E/2020.
2. CHANGED ALL HEADINGS, COURSES, AND TRACKS +2 DEGREES.

**REASONS:**

1. AIRPORT CAT II/III MAGVAR UPDATE INITIATIVE, EFFECTIVE 02/01/2018
2. AIRPORT MAGVAR UPDATED FROM 18E/2020 TO 16E/2020.



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	01 FEB 2018

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
------------	----------	---	-------	----------	----	-----------	----------	-------	---------

En Route Transition

AKAGS	610033.43N / 1544132.62W	Y		IF			AT/ABOVE FL250		AKGAS.NEELL6
GEDEE	605600.68N / 1521043.94W	Y	FB	TF	092.45	73.64	AT/ABOVE 16000		
SNAAG	605355.86N / 1512146.00W	Y	FB	TF	094.63	24.00	AT/ABOVE 10000		

En Route Transition

BAITT	590011.25N / 1515114.26W	Y		IF			AT/ABOVE FL250		BAITT.NEELL6
LEWYY	603012.98N / 1512815.47W	Y	FB	TF	007.17	91.01	AT/ABOVE 16000		
SNAAG	605355.86N / 1512146.00W	Y	FB	TF	007.59	23.99	AT/ABOVE 10000		

En Route Transition

HAMND	602954.73N / 1544036.21W	Y		IF			AT/ABOVE FL250		HAMND.NEELL6
BTWEN	604425.57N / 1524600.77W	Y	FB	TF	074.72	58.31	AT/ABOVE FL210		
CKING	604839.10N / 1520937.40W	Y	FB	TF	076.38	18.34	AT/ABOVE 16000		
SNAAG	605355.86N / 1512146.00W	Y	FB	TF	076.91	24.00	AT/ABOVE 10000		

Common Route

SNAAG	605355.86N / 1512146.00W	Y		IF			AT/ABOVE 10000		SNAAG.NEELL6
-------	--------------------------	---	--	----	--	--	----------------	--	--------------



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NEELL (RNAV)	SIX	SNAAG.NEELL6	FIVE	06/22/2017	01 FEB 2018

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
NEELL	605757.10N / 1510341.20W	Y	FB	TF	065.31	09.70			
Runway Transition									
NEELL	605757.10N / 1510341.20W	Y		IF					
SHNKN	610848.00N / 1504318.00W	Y	FB	TF	042.18	14.72	AT/ABOVE 3000		
AINKK	611005.78N / 1503117.02W	Y	FB	TF	077.33	05.97	AT/ABOVE 2000		
PANC:RWY 07L									
Runway Transition									
NEELL	605757.10N / 1510341.20W	Y		IF					
SHNKN	610848.00N / 1504318.00W	Y	FB	TF	042.18	14.72	AT/ABOVE 3000		
ELIAS	610956.19N / 1503624.86W	Y	FB	TF	071.09	03.53	AT/ABOVE 2000		
PANC:RWY 07R									

