



**US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
RW35L (MAP)	2000 MSL (CA)	355.96	2000
2000 MSL	JESKE (DF) (FO) (RNP 1.00)		5000

**NOTES, (CONT.):**

- LNAV CAT A/B VISIBILITY TO RVR 5500 AND CAT C/D/E TO RVR 5000.
- CHART NOTE: SIMULTANEOUS APPROACH AUTHORIZED WITH RWY 35R.
- CHART NOTE: LNAV PROCEDURE NA DURING SIMULTANEOUS OPERATIONS.
- CHART NOTE: USE OF FD OR AP PROVIDING RNAV TRACK GUIDANCE REQUIRED DURING SIMULTANEOUS OPERATIONS.
- CHART NOTE: \*\* RVR 1800 AUTHORIZED WITH USE OF FD OR AP OR HUD TO DA.



CITY AND STATE OKLAHOMA CITY, OK	ELEVATION: 1296      TDZE: 1276 AIRPORT NAME: WILL ROGERS WORLD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 35L, AMDT 4B 7 DECEMBER 2017	SUP:
				AMDT: 4A
				DATED: 09/15/2016

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KOKC
RUNWAY	RW35L
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	Y
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
LTP/FTP LATITUDE	352244.4925N
LTP/FTP LONGITUDE	0973620.5280W
LTP/FTP ELLIPSOIDAL HEIGHT	+03583
FPAP LATITUDE	352421.4200N
FPAP LONGITUDE	0973620.6000W
THRESHOLD CROSSING HEIGHT (TCH)	00049.1
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

CRC REMAINDER FA838AE9

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+03851
FPAP ORTHOMETRIC HEIGHT	+03851



CITY AND STATE OKLAHOMA CITY, OK	ELEVATION: 1296	TDZE: 1276	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) Y RWY 35L, AMDT 4B 7 DECEMBER 2017	SUP:
	AIRPORT NAME: WILL ROGERS WORLD				AMDT: 4A
					DATED: 09/15/2016