

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CAMET (RNAV)	THREE	CAMET.CAMET3	TWO	03/02/2017	07 DEC 2017

TRANSITION ROUTES:

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
ROLLS	ROLLS.CAMET3	ROLLS	ROLLS						
			SCUFF	089.99	53.01	7000	3500		BETWEEN 12000 AND 17000
			CAMET	099.54	10.00	6000	3100		BETWEEN 10000 AND 15000
SCUFF	SCUFF.CAMET3	SCUFF	SCUFF						BETWEEN 12000 AND 17000
			CAMET	099.54	10.00	6000	3100		BETWEEN 10000 AND 15000

ARRIVAL ROUTE DESCRIPTION:

FROM CAMET ON TRACK 098.72/10.04 TO DAWKS (MEA 4000).

LANDING RWY 13: FROM DAWKS ON TRACK 105.67/12.99 TO CROSS WABUT AT 4000 AND AT 210 KIAS (MEA 3000). EXPECT RNAV (GPS) APPROACH.

LANDING RWY 17L/R: FROM DAWKS ON TRACK 099.18/11.73 TO CROSS FLAPP AT 5000 AND AT 210 KIAS (MEA 3000). EXPECT RNAV (RNP) APPROACH.

LANDING RWY 35L/R: FROM DAWKS ON TRACK 106.66/8.56 TO CROSS TERNE AT OR ABOVE 8000 (MEA 3000), THEN ON TRACK 106.75/6.17 TO CROSS ADWOW AT OR ABOVE 7000 AND AT 220 KIAS (MEA 3000), THEN ON TRACK 174.92/4.97 TO CROSS QWAKE AT 6000 AND AT 210 KIAS (MEA 3000), THEN ON TRACK 175.96/4.97 TO NICOM (MEA 3000), THEN ON TRACK 176.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.

NOTE: RNAV 1.

NOTE: DME/DME/IRU OR GPS REQUIRED.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT ROLLS: W, RT, 089.99 INBOUND, 10.0 NM LEGS

COMMUNICATIONS:

ZFW ARTCC, OKC ATIS, OKC APP CON.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CAMET (RNAV)	THREE	CAMET.CAMET3	TWO	03/02/2017	07 DEC 2017

AIRPORTS SERVED:

AIRPORT NAME	CITY	STATE
WILL ROGERS WORLD	OKLAHOMA CITY	OK

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

ABBREVIATED AMENDMENT.
THIS AMENDMENT DOES NOT QUALIFY AS A PERIODIC REVIEW.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
REFERENCE MAGNETIC VARIATION = KOKC 04E/2020

FLIGHT INSPECTED BY:

FLIGHT INSPECTION NOT REQUIRED, MANAGER ROBERT STUCKERT

ORGANIZATION:

AJW-331

DATE:

11/17/2016

Flight Inspected Signature:

Digitally signed by
BEV L BORDY
Jul 25, 2017

DEVELOPED BY:

LIAM DONAHUE

AJV-5431

06/29/2017

Developed By Signature:

Digitally signed by
LIAM DONAHUE
Jun 29, 2017

APPROVED BY:

PATRICK MULQUEEN

AJV-5430

Approved By Signature:

Digitally signed by
BEV L BORDY
Jul 25, 2017

CHANGES:

1. CHANGED FORM FROM FAA FORM 7100-4 TO FAA FORM 8260-17.1/17.2.
2. CHANGED REFERENCE MAGNETIC VARIATION FROM 05E/2010 TO 04E/2020 IN ADDITIONAL FLIGHT DATA.
3. UPDATED ALL COURSES TO REFLECT NEW REFERENCE MAGNETIC VARIATION.

REASONS:

1. FAAO 8260.19G, 4-5-1B(32).
- 2, 3. AIRPORT MAGNETIC VARIATION UPDATED TO EPOCH YEAR 2020.



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CAMET (RNAV)	THREE	CAMET.CAMET3	TWO	03/02/2017	07 DEC 2017

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
------------	----------	---	-------	----------	----	-----------	----------	-------	---------

EN ROUTE TRANSITION

ROLLS	354321.88N / 0992814.51W	Y		IF					ROLLS.CAMET3
SCUFF	353922.93N / 0982320.77W	Y	FB	TF	093.99	53.01	12000B17000	AT 280K	
CAMET	353701.67N / 0981125.30W	Y	FB	TF	103.54	10.00	10000B15000	AT 250K	

EN ROUTE TRANSITION

SCUFF	353922.93N / 0982320.77W	Y		IF			12000B17000	AT 280K	SCUFF.CAMET3
CAMET	353701.67N / 0981125.30W	Y	FB	TF	103.54	10.00	10000B15000	AT 250K	

COMMON ROUTE

CAMET	353701.67N / 0981125.30W	Y		IF			10000B15000	AT 250K	CAMET.CAMET3
DAWKS	353448.27N / 0975925.21W	Y	FB	TF	102.72	10.04			

RUNWAY TRANSITION

DAWKS	353448.27N / 0975925.21W	Y		IF					
WABUT	353024.57N / 0974426.41W	Y	FB	TF	109.67	12.99	AT 4000	AT 210K	

KOKC:RWY 13

RUNWAY TRANSITION



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CAMET (RNAV)	THREE	CAMET.CAMET3	TWO	03/02/2017	07 DEC 2017

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
DAWKS	353448.27N / 0975925.21W	Y		IF					
FLAPP	353206.78N / 0974525.66W	Y	FB	TF	103.18	11.73	AT 5000	AT 210K	
KOKC:RWY 17L									
RUNWAY TRANSITION									
DAWKS	353448.27N / 0975925.21W	Y		IF					
FLAPP	353206.78N / 0974525.66W	Y	FB	TF	103.18	11.73	AT 5000	AT 210K	
KOKC:RWY 17R									
RUNWAY TRANSITION									
DAWKS	353448.27N / 0975925.21W	Y		IF					
TERNE	353146.41N / 0974936.36W	Y	FB	TF	110.66	08.56	AT/ABOVE 8000		
ADWOW	352934.96N / 0974232.68W	Y	FB	TF	110.75	06.17	AT/ABOVE 7000	AT 220K	
QWAKE	352436.54N / 0974225.78W	Y	FB	TF	178.92	04.97	AT 6000	AT 210K	
NICOM	351937.87N / 0974225.52W	Y	FO	TF	179.96	04.97			
KOKC:RWY 35L				FM	180.00				RECOMMENDED NAVAID: PGO VORTAC
RUNWAY TRANSITION									



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 STAR (DATA RECORD)

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
CAMET (RNAV)	THREE	CAMET.CAMET3	TWO	03/02/2017	07 DEC 2017

FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
DAWKS	353448.27N / 0975925.21W	Y		IF					
TERNE	353146.41N / 0974936.36W	Y	FB	TF	110.66	08.56	AT/ABOVE 8000		
ADWOW	352934.96N / 0974232.68W	Y	FB	TF	110.75	06.17	AT/ABOVE 7000	AT 220K	
QWAKE	352436.54N / 0974225.78W	Y	FB	TF	178.92	04.97	AT 6000	AT 210K	
NICOM	351937.87N / 0974225.52W	Y	FO	TF	179.96	04.97			
KOKC:RWY 35R				FM	180.00				RECOMMENDED NAVAID: PGO VORTAC

