

**Federal Aviation
Administration**

Transmittal Letter 18-05

January 12, 2018

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1-Mar-18	CO	Greeley	Greeley-Weld County	7/0992	12/27/17	RNAV (GPS) RWY 35, Amdt 1

AIRAC Date: 1 MARCH 2018

FDC **7/0992** GXY IAP GREELEY-WELD COUNTY, Greeley, CO. RNAV (GPS) RWY 35, AMDT 1... LNAV MDA 5020/HAT 355 ALL CATS, VIS CAT C/D 1 SM. CIRCLING CAT A MDA 5120/HAA 423, CAT B/C MDA 5200/HAA 503. VDP AT 0.99 NM TO RW35ASTERISK. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT COLLINS/LOVELAND ALTIMETER SETTING: INCREASE LPV DA TO 4950 FEET AND VISIBILITY 1/8 SM, LNAV/VNAV DA TO 5000 FEET AND VISIBILITY 1/4 SM; INCREASE ALL MDAS 100 FEET AND VISIBILITY LNAV CAT C/D 3/8 SM AND CIRCLING CAT C/D 1/4 SM. DELETE NOTE: VDP AND BARO-VNAV NA WHEN USING FORT COLLINS- LOVELAND MUNI ALTIMETER SETTING. CHART NOTE: VDP AND BARO-VNAV NA WHEN USING FORT COLLINS/LOVELAND ALTIMETER SETTING. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT COLLINS - LOVELAND MUNI ALTIMETER SETTING AND INCREASE ALL DA 85 FEET AND MDA 100 FEET, LPV ALL CATS VISIBILITIES TO 1 MILE AND LNAV/VNAV ALL CATS TO 1 1/8 MILE, INCREASE LNAV CAT C/D AND CIRCLING CAT D VISIBILITY 1/4 MILE. CHART FAS OBST: 4762 BLDG 402609N/1043709W. THIS IS RNAV (GPS) RWY 35, AMDT 1A. 1709251452-PERM