

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
WUTAL (IF/IAF)	JALSO (FB)	008.32 / 7.65	2000	LNAV: RW01
JALSO (FAF)	RW01 (MAP) (FO)	008.32 / 5.37		
RW01 (MAP)	659 MSL	008.32		CLIMBING LEFT TURN TO 3000 DIRECT WUTAL AND HOLD.
659 MSL	WUTAL (FO)		3000	
				ADDITIONAL FLIGHT DATA: FAS OBST: 559 AAO 312104N/0870346W JALSO TO RW01: 3.00/40.

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD S WUTAL, RT, 008.32 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 008.32 FAF: JALSO DIST FAF TO MAP: 5.37 THLD: 5.37
- MIN. ALT: WUTAL 3000, JALSO 2000
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 3W EPOCH YEAR: 2015

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: NA			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	820	1	569	820	1	569	820	1 5/8	569	820	1 5/8	569			
CIRCLING	820	1	561	820	1	561	820	1 5/8	561	980	2 1/4	721			

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA. @ CAT D 800-2 1/4
 CHART NOTE: PROCEDURE NA AT NIGHT. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SOUTH ALABAMA RGNL ALTIMETER SETTING
 AND INCREASE ALL MDA 100 FT, INCREASE LNAV CATS C AND D VISIBILITY 1/4 MILE, INCREASE CIRCLING
 (SEE FORM 8260-10)

CITY AND STATE EVERGREEN, AL	ELEVATION: 259 THRE: 251 AIRPORT NAME: MIDDLETON FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 1, AMDT 1 2 MAY 2013	SUP: AMDT: ORIG DATED 04/10/2008
---------------------------------	--	------------------------------	--	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CAT C VISIBILITY 1/4 MILE, AND INCREASE CIRCLING CAT D VISIBILITY 1/2 MILE.
 CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

TAA

	FROM	TO	ALT
1.	278/30 CW 098/30 (NOPT)	WUTAL (IF/IAF) (FB)	3000
2.	098/30 CW 278/30	WUTAL (IF/IAF) (FO)	3000



CITY AND STATE EVERGREEN, AL	ELEVATION: 259	THRE: 251	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 1, AMDT 1 2 MAY 2013	SUP:
	AIRPORT NAME: MIDDLETON FIELD				AMDT: ORIG
					DATED: 04/10/2008

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	WUTAL	WUTAL	010	IAP	HF	R	FO		008.3 (005.3T)	004.0	AA 03000	
		WUTAL	010	FACF	IF		FB				AA 03000	
		JALSO	020	FAF	TF		FB	0.5	008.3 (005.3T)	007.7	AA 02000	
		RW01	030	MAP	TF		FO	0.3	008.3 (005.3T)	005.4	AT 00291	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		008.3 (005.3T)		AA 00659	
	WUTAL	050		DF	L	FO				AA 03000	
	WUTAL	060		HM	R	FO		008.3 (005.3T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	JALSO	N311902.23	W0870326.87	N3119.037	W08703.448
	WUTAL	N311123.95	W0870416.56	N3111.399	W08704.276
	RW01	N312423.50	W0870251.96	N3124.392	W08702.866

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW01	00251	40



CITY AND STATE EVERGREEN, AL	ELEVATION: 259 THRE: 251 AIRPORT NAME: MIDDLETON FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 1, AMDT 1 2 MAY 2013	SUP:
				AMDT: ORIG
				DATED: 04/10/2008