

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: BIDAY
WNDEL	JIVGI (FO)	140.49 / 19.14	10000	CLIMBING RIGHT TURN TO 14000 DIRECT AHC VOR/DME AND HOLD, CONTINUE CLIMB-IN-HOLD TO 14000.
HALLE (IAF)	JIVGI (NOPT) (FB)	301.52 / 14.32	10000	
JIVGI (IF/IAF)	EVUNE (FB)	292.42 / 5.00	9200	
EVUNE	WARTI (FB)	292.37 / 10.00	7500	
WARTI (FAF)	CEBAS/5.95 NM TO BIDAY (FB)	297.10 / 3.80		
CEBAS/5.95 NM TO BIDAY (SEE FORM 8260-10)	BIDAY (MAP) (FO)	297.10 / 5.95		ADDITIONAL FLIGHT DATA: HOLD NW, RT, 134.00 INBOUND. CHART FAS OBST: 5019 TREE 402015N/1203131W CHART R-2530. FAC CROSSES RWY C/L EXTENDED 1501 FROM THLD. CHART IN PLANVIEW: FINAL APPROACH COURSE OFFSET 5.11 DEGREES.

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD E JIVGI, RT, 292.42 INBOUND, 10000 FT. IN LIEU OF PT (IAF)
3. FAC: 297.10 FAF: WARTI DIST FAF TO MAP: 9.75 THLD: 10.00
4. MIN. ALT: JIVGI 10000, EVUNE 9200, WARTI 7500, CEBAS/5.95 NM TO BIDAY 6200
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR
8. MSA FROM: BIDAY 9600

MAG VAR: 17E

EPOCH YEAR: 1985

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT									ALTERNATE: N A X					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	5560	1 1/4	1414	5560	1 1/4	1414	5560	3	1414	5560	3	1414			
CIRCLING	5560	1 1/4	1411	5560	1 1/2	1411	5560	3	1411	5560	3	1411			

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE RENO/STEAD ALTIMETER SETTING AND INCREASE ALL MDA 720 FEET.
CHART NOTE: CIRCLING TO RWY 7/25 NA.
(SEE FORM 8260-10)

CITY AND STATE SUSANVILLE, CA	ELEVATION: 4149 TDZE: 4146 AIRPORT NAME: SUSANVILLE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 29, AMDT 1A 24 JULY 2014	SUP: AMDT: 1 DATED 01/13/2011
----------------------------------	--	------------------------------	--	-------------------------------------

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
BIDAY (MAP)	4549 MSL	297.10	
4549 MSL	AHC VOR/DME (FO)		14000

NOTES, (CONT.):

CHART PROFILE NOTE: DESCENT ANGLE NA

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED



CITY AND STATE
SUSANVILLE, CA

ELEVATION: 4149 TDZE: 4146
AIRPORT NAME:
SUSANVILLE MUNI

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 29, AMDT 1A
24 JULY 2014

SUP:
AMDT: 1
DATED: 01/13/2011

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

MSA 1 2 3 4 5 6 7 8 9 0 1 2 3
 12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012

 SUSAP KSVEK2SBIDAYK2EA 0 18018009625 M



CITY AND STATE SUSANVILLE, CA	ELEVATION: 4149	TDZE: 4146	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 29, AMDT 1A	SUP:	
	AIRPORT NAME: SUSANVILLE MUNI			24 JULY 2014	AMDT: 1	
						DATED: 01/13/2011

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	HALLE	HALLE	010	IAF	IF		FB					
	HALLE	JIVGI	020		TF		FB	1.0	301.5(318.5T)	014.3	AA 10000	
	WNDEL	WNDEL	010		IF		FB					
	WNDEL	JIVGI	020		TF		FO	2.0	140.5(157.5T)	019.1	AA 10000	
	WNDEL	JIVGI	030	IAF	HF	R	FO		292.4(309.4T)	007.0	AA 10000	
		JIVGI	010	FACF	IF		FB				AA 10000	
		EVUNE	011	SDF	TF		FB	0.5	292.4(309.4T)	005.0	AA 09200	
		WARTI	020	FAF	TF		FB	0.5	292.4(309.4T)	010.0	AA 07500	
		CEBAS	021	SDF	TF		FB	0.3	297.1(314.1T)	003.8	AA 06200	
		BIDAY	030	MAP	TF		FO	0.3	297.1(314.1T)	006.0	AT 05560	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		297.1(314.1T)		AA 04549	
	AHC	050		DF	R	FO				AA 14000	
	AHC	060		HM	R	FO		134.0(151.0T)	007.0	AA 14000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AHC	N401604.31	W1200907.08	N4016.072	W12009.118
	BIDAY	N402212.74	W1203343.21	N4022.212	W12033.720
	CEBAS	N401804.45	W1202807.56	N4018.074	W12028.126
	EVUNE	N400905.29	W1201427.68	N4009.088	W12014.461
	HALLE	N395511.21	W1195703.90	N3955.187	W11957.065
	JIVGI	N400554.74	W1200925.45	N4005.912	W12009.424
	WARTI	N401525.71	W1202433.55	N4015.429	W12024.559
	WNDEL	N402336.82	W1201858.37	N4023.614	W12018.973
	RW29	N402222.07	W1203358.26	N4022.368	W12033.971

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW29	04122	00

QUALITY
9
CHECKED

CITY AND STATE SUSANVILLE, CA	ELEVATION: 4149	TDZE: 4146	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: SUSANVILLE MUNI		RNAV	RNAV (GPS) RWY 29, AMDT 1A	AMDT: 1
				24 JULY 2014	DATED: 01/13/2011