

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE
CEVBI	SURDE (TF) (FB) (RNP 2.00)	246.14 / 6.12	5500
SURDE (IAF)	FEDUM (NOPT) (TF) (FB) (RNP 1.00)	247.21 / 5.70	4500
KUKTE (IAF)	FEDUM (NOPT) (TF) (FB) (RNP 1.00)	009.98 / 8.20	4500
FEDUM (IF/IAF)	GOGEN (TF) (FB) (RNP 1.00)	309.11 / 5.86	3000
GOGEN (FAF)	HEMAB/3.10 NM TO JALEL (TF) (FB) (RNP 0.30)	339.03 / 1.50	
(SEE FORM 8260-10)			

JALEL

CLIMBING RIGHT TURN TO 4500 DIRECT CEVBI AND HOLD. WHEN DIRECTED BY ATC, CONTINUE CLIMB-IN-HOLD TO 7300.

ADDITIONAL FLIGHT DATA:
HOLD SE, RT, 302.04 INBOUND.
CHART FAS OBST: 1037 TREE 453455N/1210941W.
FAC CROSSES MIDPOINT OF RWY 13-31.
CHART CIRCLING ICON.

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD SE FEDUM, RT, 309.11 INBOUND, 4500 FT. IN LIEU OF PT (IAF)
3. FAC: 339.03 FAF: GOGEN DIST FAF TO MAP: 4.60 THLD:
4. MIN. ALT: FEDUM 4500, GOGEN 3000, HEMAB/3.10 NM TO JALEL 2120
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH:
8. MSA FROM: JALEL 12700

MAG VAR: 15E EPOCH YEAR: 2015

MINIMUMS

TAKEOFF: <u>SEE FAA FORM 8260-15A FOR THIS AIRPORT</u>	ALTERNATE: <u>NA</u>	@ <u> </u>													
CATEGORY <u>====></u>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
CIRCLING	1320	1 1/4	1073	1340	1 1/2	1093	1720	3	1473	2100	3	1853			

NOTES:
 CHART NOTE: CIRCLING TO RWY 7, 31 NA AT NIGHT.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, PROCEDURE NA.
 CHART NOTE: CIRCLING NA FOR CAT D NORTH OF RWY 7 AND NORTHEAST OF RWY 31.
 CHART NOTE: DME/DME RNP-0.3 NA.
 (CONTINUED ON PAGE 2)

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 @ CAT A, B 1100-2, CAT C 1500-3, CAT D 1900-3



CITY AND STATE THE DALLES, OR	ELEVATION: 247 TDZE: AIRPORT NAME: COLUMBIA GORGE RGNL/THE DALLES MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-A, AMDT 1A 1 FEBRUARY 2018	SUP: AMDT: 1 DATED 12/12/2013
---	--	-------------------------------------	--	---

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
HEMAB/3.10 NM TO JALEL	JALEL (MAP) (TF) (FO) (RNP 0.30)	339.03 / 3.10	
JALEL (MAP)	647 MSL (CA)	339.03	
647 MSL	CEVBI (DF) (FO) (RNP 1.00)		4500

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT CEVBI ON V497 SOUTHEAST BOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT KUKTE ON V25 SOUTHBOUND AND ON T261 SOUTHBOUND.
 CHART PLANVIEW NOTE: LIMIT MISSED APPROACH TO 230 KIAS.



CITY AND STATE THE DALLES, OR	ELEVATION: 247	TDZE:	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-A, AMDT 1A 1 FEBRUARY 2018	SUP:
	AIRPORT NAME: COLUMBIA GORGE RGNL/THE DALLES MUNI				AMDT: 1
					DATED: 12/12/2013