

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MAP: RW09

CLIMB TO 2800 THEN LEFT TURN DIRECT JFN VOR/DME AND HOLD.

ADDITIONAL FLIGHT DATA:
HOLD W, RT, 068.00 INBOUND.
CHART FAS OBST: 1005 TREE 414623N/0804323W.
CHART CIRCLING ICON.
JFN VOR/DME TO RW09: 3.86/45.

1. PT L SIDE OF COURSE 247.21 OUTBOUND 2800 FT WITHIN 10 MILES OF JFN VOR/DME (IAF)
2. _____
3. FAC 067.21 FAF JFN VOR/DME DIST FAF TO MAP 2.07 THLD 2.07
4. MIN. ALT JFN VOR/DME 1800
8. MSA FROM: JFN VOR/DME 3000

MAG VAR: **5W** EPOCH YEAR: **1965**

MINIMUMS

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A	STANDARD								
CATEGORY =====>	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
CIRCLING	1340	1	414	1380	1	454	1500	1 1/2	574	1580	2	654				

NOTES:
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).
 EQUIPMENT REQUIREMENTS NOTE: RADAR REQUIRED FOR PROCEDURE ENTRY.



CITY AND STATE ASHTABULA, OH	ELEVATION: 926 TDZE:	FACILITY IDENTIFIER: JFN	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR-A, ORIG-A 24 MAY 2018	SUP
	AIRPORT NAME: NORTHEAST OHIO RGNL			AMDT ORIG
				DATE 10/12/2017