

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)
TITLE 14 CFR PART 97.37**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>CITY, STATE</u>	<u>AIRPORT</u>	<u>EFFECTIVE DATE</u>	<u>AMDT NO</u>
JAMESTOWN, NY	CHAUTAUQUA COUNTY/JAMESTOWN	20 JUNE 2019	6A

TAKEOFF MINIMUMS:

RWY 7, 13, 25: STANDARD

RWY 31: 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 220 FT PER NM TO 2000.

TEXTUAL DEPARTURE PROCEDURES:

VISUAL CLIMB OVER AIRPORT:

TAKEOFF OBSTACLE NOTES:

NOTE: RWY 7, LIGHTING 3 FT FROM DER, 5 FT LEFT OF CENTERLINE, 2 FT AGL/1720 FT MSL. SIGN 20 FT FROM DER, 249 FT LEFT OF CENTERLINE, 7 FT AGL/1722 FT MSL. VEHICLES ON ROADWAY BEGINNING 299 FT FROM DER, CROSSING EXTENDED RUNWAY CENTERLINE, UP TO 15 FT AGL/1734 FT MSL. TREES BEGINNING 495 FT FROM DER, 525 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/1749 FT MSL.

NOTE: RWY 13, ELECTRICAL SYSTEM AT DER, 265 FT LEFT OF CENTERLINE, 1710 FT MSL. SIGN 5 FT FROM DER, 155 FT RIGHT OF CENTERLINE, 1709 FT MSL. VEHICLES ON ROADWAY 69 FT FROM DER, 322 FT RIGHT OF CENTERLINE, 1710 FT MSL. TREES BEGINNING 81 FT FROM DER, 495 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/1755 FT MSL. TERRAIN BEGINNING 172 FT FROM DER, 289 FT RIGHT OF CENTERLINE, UP TO 1714 FT MSL. TREE 232 FT FROM DER, 491 FT LEFT OF CENTERLINE, 50 FT AGL/1756 FT MSL. FENCE 257 FT FROM DER, 499 FT RIGHT OF CENTERLINE, 1715 FT MSL. TERRAIN 307 FT FROM DER, 375 FT RIGHT OF CENTERLINE, 1717 FT MSL. FENCE, VEHICLES ON ROADWAY BEGINNING 387 FT FROM DER, 363 FT RIGHT OF CENTERLINE, UP TO 1725 FT MSL. TREE, POLE, BUILDING BEGINNING 401 FT FROM DER, 378 FT LEFT OF CENTERLINE, UP TO 57 FT AGL/1766 FT MSL. VEHICLES ON ROADWAY 436 FT FROM DER, 501 FT RIGHT OF CENTERLINE, 1733 FT MSL. POLE 457 FT FROM DER, 599 FT RIGHT OF CENTERLINE, 31 FT AGL/1751 FT MSL. BUILDING, FENCE, VEHICLES ON ROADWAY, TREE, POLE BEGINNING 527 FT FROM DER, 188 FT RIGHT OF CENTERLINE, UP TO 48 FT AGL/1768 FT MSL. TREES BEGINNING 850 FT FROM DER, 11 FT LEFT OF CENTERLINE, UP TO 1774 FT MSL. BUILDING, POLE BEGINNING 1065 FT FROM DER, 308 FT RIGHT OF CENTERLINE, UP TO 45 FT AGL/1770 FT MSL. TREE 1301 FT FROM DER, 724 FT RIGHT OF CENTERLINE, 1804 FT MSL. TREE, POLE, BUILDING BEGINNING 1361 FT FROM DER, 4 FT RIGHT OF CENTERLINE, UP TO 88 FT AGL/1819 FT MSL. TREES BEGINNING 2358 FT FROM DER, 316 FT LEFT OF CENTERLINE, UP TO 1779 FT MSL. TREE 2432 FT FROM DER, 924 FT LEFT OF CENTERLINE, 1785 FT MSL. TREES BEGINNING 2485 FT FROM DER, 449 FT LEFT OF CENTERLINE, UP TO 1788 FT MSL. TREES BEGINNING 2610 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 1793 FT MSL. TREES BEGINNING 2750 FT FROM DER, 103 FT LEFT OF CENTERLINE, UP TO 1797 FT MSL. TREES BEGINNING 2851 FT FROM DER, 507 FT LEFT OF CENTERLINE, UP TO 1798 FT MSL. TREE 2959 FT FROM DER, 611 FT LEFT OF CENTERLINE, 1802 FT MSL. TREES BEGINNING 2966 FT FROM DER, 694 FT LEFT OF CENTERLINE, UP TO 1804 FT MSL. TREES BEGINNING 3004 FT FROM DER, 556 FT LEFT OF CENTERLINE, UP TO 1805 FT MSL. TREES BEGINNING 3149 FT FROM DER, 621 FT LEFT OF CENTERLINE, UP TO 1808 FT MSL. TREES BEGINNING 3806 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 1813 FT MSL. TREE 4208 FT FROM DER, 38 FT LEFT OF CENTERLINE, 1816 FT MSL. TREES BEGINNING 4322 FT FROM DER, 50 FT RIGHT OF CENTERLINE, UP TO 1825 FT MSL. TREES BEGINNING 4376 FT FROM DER, 159 FT LEFT OF CENTERLINE, UP TO 1825 FT MSL.

NOTE: RWY 25, LIGHTING 10 FT FROM DER, 29 FT LEFT OF CENTERLINE, 2 FT AGL/1722 FT MSL. LIGHTING 10 FT FROM DER, 30 FT RIGHT OF CENTERLINE, 2 FT AGL/1722 FT MSL. BUILDING 424 FT FROM DER, 261 FT LEFT OF CENTERLINE, 21 FT AGL/1733 FT MSL. TREE 733 FT FROM DER, 654 FT LEFT OF CENTERLINE, 84 FT AGL/1753 FT MSL. TREE 762 FT FROM DER, 662 FT LEFT OF CENTERLINE, 1756 FT MSL.

NOTE: RWY 31, SIGN 23 FT FROM DER, 200 FT LEFT OF CENTERLINE, 1724 FT MSL. TERRAIN BEGINNING 29 FT FROM DER, 303 FT LEFT OF CENTERLINE, UP TO 1735 FT MSL. TREES BEGINNING 46 FT FROM DER, 464 FT RIGHT OF CENTERLINE, UP TO 73 FT AGL/1781 FT MSL. TREE, TERRAIN BEGINNING 83 FT FROM DER, 423 FT LEFT OF CENTERLINE, UP TO 1740 FT MSL. FENCE, TERRAIN BEGINNING 133 FT FROM DER, 316 FT LEFT OF CENTERLINE, UP TO 1747 FT MSL. TREES BEGINNING 194 FT FROM DER, 460 FT RIGHT OF CENTERLINE, UP TO 72 FT AGL/1785 FT MSL. FENCE 238 FT FROM DER, 500 FT LEFT OF CENTERLINE, 1751 FT MSL. FENCE, TREE, TERRAIN BEGINNING 354 FT FROM DER, 471 FT LEFT OF CENTERLINE, UP TO 1752 FT MSL. TREES BEGINNING 402 FT FROM DER, 470 FT RIGHT OF CENTERLINE, UP TO 68 FT AGL/1790 FT MSL. FENCE BEGINNING 457 FT FROM DER, 500 FT LEFT OF CENTERLINE, UP TO 1753 FT MSL. TREE 578 FT FROM DER, 630 FT LEFT OF CENTERLINE, 40 FT AGL/1783 FT MSL. TREE, TERRAIN, FENCE BEGINNING 582 FT FROM DER, 376 FT LEFT OF CENTERLINE, UP TO 1806 FT MSL. TREES BEGINNING 764 FT FROM DER, 475 FT RIGHT OF CENTERLINE, UP TO 1800 FT MSL. TREES BEGINNING 775 FT FROM DER, 201 FT LEFT OF CENTERLINE, UP TO 1814 FT MSL. TREES BEGINNING 947 FT FROM DER, 536 FT RIGHT OF CENTERLINE, UP TO 1805 FT MSL. TREE 1011 FT FROM DER, 737 FT RIGHT OF CENTERLINE, 1808 FT MSL. TREES BEGINNING 1057 FT FROM DER, 390 FT RIGHT OF CENTERLINE, UP TO 1813 FT MSL. TREES BEGINNING 1266 FT FROM DER, 68 FT RIGHT OF CENTERLINE, UP TO 84 FT AGL/1819 FT MSL. TREES BEGINNING 3494 FT FROM DER, 372 FT LEFT OF CENTERLINE, UP TO 1817 FT MSL. TREE 3517 FT FROM DER, 786 FT LEFT OF CENTERLINE, 1824 FT MSL. TREES

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)
TITLE 14 CFR PART 97.37**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>CITY, STATE</u>	<u>AIRPORT</u>	<u>EFFECTIVE DATE</u>	<u>AMDT NO</u>
JAMESTOWN, NY	CHAUTAUQUA COUNTY/JAMESTOWN	20 JUNE 2019	6A

BEGINNING 3540 FT FROM DER, 447 FT LEFT OF CENTERLINE, UP TO 1835 FT MSL. TREES BEGINNING 3741 FT FROM DER, 419 FT LEFT OF CENTERLINE, UP TO 1841 FT MSL. TREE 4412 FT FROM DER, 1677 FT LEFT OF CENTERLINE, 1843 FT MSL. TREES BEGINNING 4490 FT FROM DER, 1435 FT LEFT OF CENTERLINE, UP TO 1844 FT MSL. TREE 4518 FT FROM DER, 1644 FT LEFT OF CENTERLINE, 1846 FT MSL. TREES BEGINNING 4615 FT FROM DER, 1457 FT LEFT OF CENTERLINE, UP TO 1856 FT MSL. TREES BEGINNING 4871 FT FROM DER, 1518 FT LEFT OF CENTERLINE, UP TO 1862 FT MSL. TREES BEGINNING 5135 FT FROM DER, 1044 FT LEFT OF CENTERLINE, UP TO 1868 FT MSL. TREES BEGINNING 5582 FT FROM DER, 1296 FT LEFT OF CENTERLINE, UP TO 1874 FT MSL. TREES BEGINNING 5725 FT FROM DER, 1015 FT LEFT OF CENTERLINE, UP TO 1875 FT MSL.

CONTROLLING OBSTACLES:

RWY 31: 1880 FT MSL TREE 420942.82N/0791704.27W (CLIMB GRADIENT), 1887 FT MSL TREE 420946.85N/0791705.33W (CGTA/CEILING/VISIBILITY).

REMARKS:

FLIGHT INSPECTED BY: *Digitally signed by*
BRYAN VEIT **DAVID DANNER**
Mar 04, 2019

OFFICE SYMBOL: **DATE:**
FICO 2/26/19

DEVELOPED BY: *Digitally signed by*
DAVE DANNER (JOHN ROBERT LINDSEY) **DAVID DANNER**
Mar 04, 2019

OFFICE SYMBOL: **DATE:**
AJV-A421 01/17/2019

APPROVED BY: *Digitally signed by*
JULIE A. MORGAN **DAVID DANNER**
Mar 04, 2019

OFFICE SYMBOL: **DATE:**
AJV-A420

REQUIRED EFFECTIVE DATE:
ROUTINE

COORDINATED WITH:

<u>A4A</u>	<u>ALPA</u>	<u>AOPA</u>	<u>APA</u>	<u>HAI</u>	<u>NBAA</u>
☐	☒	☒	☒	☐	☒

OTHER:

ZOB, ERIE APP CON, AMGR

CHANGES - REASONS:

1. CHANGED RWY 31 TAKEOFF MINIMUMS FROM STANDARD TO 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 220 FT PER NM TO 2000 - NEW CONTROLLING OBSTACLE.
2. CHANGED TAKEOFF OBSTACLE NOTES FROM "NOTE: RWY 7, MULTIPLE TREES BEGINNING 495' FROM DER, LEFT OF CENTERLINE, UP TO 30' AGL/1749' MSL." TO READ "NOTE: RWY 7, LIGHTING 3 FT FROM DER, 5 FT LEFT OF CENTERLINE, 2 FT AGL/1720 FT MSL. SIGN 20 FT FROM DER, 249 FT LEFT OF CENTERLINE, 7 FT AGL/1722 FT MSL. VEHICLES ON ROADWAY BEGINNING 299 FT FROM DER, CROSSING EXTENDED RUNWAY CENTERLINE, UP TO 15 FT AGL/1734 FT MSL. TREES BEGINNING 495 FT FROM DER, 525 FT LEFT OF CENTERLINE, UP TO 50 FT AGL/1749 FT MSL." - NEW SURVEY DATA.
3. CHANGED TAKEOFF OBSTACLE NOTES FROM "NOTE: RWY 13, RISING TERRAIN BEGINNING 200' FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 1740' MSL. MULTIPLE TREES BEGINNING 228' FROM DER, 232' LEFT OF CENTERLINE, UP TO 47' AGL/1795' MSL. VENT ON BLDG 527' FROM DER, 628' RIGHT OF CENTERLINE, 38' AGL/1768' MSL. VEHICLES ON ROAD, 737' FROM DER, 329' RIGHT OF CENTERLINE, 15' AGL/1756' MSL. VENT ON BLDG 1003' FROM DER, 426' RIGHT OF CENTERLINE, 38' AGL/1768' MSL. OBSTACLE LIGHT ON BLDG 1232' FROM DER, 309' RIGHT OF CENTERLINE, 38' AGL/1768' MSL. MULTIPLE TREES BEGINNING 831' FROM DER, 77' RIGHT OF CENTERLINE, UP TO 90' AGL/1799' MSL." TO READ ""NOTE: RWY 13, ELECTRICAL SYSTEM AT DER, 265 FT LEFT OF CENTERLINE, 1710 FT MSL. SIGN 5 FT FROM DER, 155 FT RIGHT OF CENTERLINE, 1709 FT MSL. VEHICLES ON ROADWAY 69 FT FROM DER, 322 FT RIGHT OF CENTERLINE, 1710 FT MSL. TREES BEGINNING 81 FT FROM DER, 495 FT LEFT OF CENTERLINE, UP TO 55 FT AGL/1755 FT MSL. TERRAIN BEGINNING 172 FT FROM DER, 289 FT RIGHT OF CENTERLINE, UP TO 1714 FT MSL. TREE 232 FT FROM DER, 491 FT LEFT OF CENTERLINE, 50 FT AGL/1756 FT MSL. FENCE 257 FT FROM DER, 499 FT RIGHT OF CENTERLINE, 1715 FT MSL. TERRAIN 307 FT FROM DER, 375 FT RIGHT OF CENTERLINE, 1717 FT MSL. FENCE, VEHICLE3S ON ROADWAY BEGINNING 387 FT FROM DER, 363 FT RIGHT OF CENTERLINE, UP TO 1725 FT MSL. TREE, POLE, BUILDING BEGINNING 401 FT FROM DER, 378 FT LEFT OF CENTERLINE, UP TO 57 FT AGL/1766 FT MSL. VEHICLES ON ROADWAY 436 FT FROM DER, 501 FT RIGHT OF CENTERLINE, 1733 FT MSL. POLE 457 FT FROM DER, 599 FT RIGHT OF CENTERLINE, 31 FT AGL/1751 FT MSL. BUILDING, FENCE, VEHICLES ON ROADWAY, TREE, POLE BEGINNING 527 FT FROM DER, 188 FT RIGHT OF CENTERLINE, UP TO 48 FT AGL/1768 FT MSL. TREES BEGINNING 850 FT FROM DER, 11 FT LEFT OF CENTERLINE, UP TO 1774 FT MSL. BUILDING, POLE BEGINNING 1065 FT FROM DER, 308 FT RIGHT OF CENTERLINE, UP TO 45 FT AGL/1770 FT MSL. TREE 1301 FT FROM DER, 724 FT RIGHT OF CENTERLINE, 1804 FT MSL. TREE, POLE, BUILDING BEGINNING 1361 FT FROM DER, 4 FT RIGHT OF CENTERLINE,



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP)
TITLE 14 CFR PART 97.37**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>CITY, STATE</u>	<u>AIRPORT</u>	<u>EFFECTIVE DATE</u>	<u>AMDT NO</u>
JAMESTOWN, NY	CHAUTAUQUA COUNTY/JAMESTOWN	20 JUNE 2019	6A

UP TO 88 FT AGL/1819 FT MSL. TREES BEGINNING 2358 FT FROM DER, 316 FT LEFT OF CENTERLINE, UP TO 1779 FT MSL. TREE 2432 FT FROM DER, 924 FT LEFT OF CENTERLINE, 1785 FT MSL. TREES BEGINNING 2485 FT FROM DER, 449 FT LEFT OF CENTERLINE, UP TO 1788 FT MSL. TREES BEGINNING 2610 FT FROM DER, 4 FT LEFT OF CENTERLINE, UP TO 1793 FT MSL. TREES BEGINNING 2750 FT FROM DER, 103 FT LEFT OF CENTERLINE, UP TO 1797 FT MSL. TREES BEGINNING 2851 FT FROM DER, 507 FT LEFT OF CENTERLINE, UP TO 1798 FT MSL. TREE 2959 FT FROM DER, 611 FT LEFT OF CENTERLINE, 1802 FT MSL. TREES BEGINNING 2966 FT FROM DER, 694 FT LEFT OF CENTERLINE, UP TO 1804 FT MSL. TREES BEGINNING 3004 FT FROM DER, 556 FT LEFT OF CENTERLINE, UP TO 1805 FT MSL. TREES BEGINNING 3149 FT FROM DER, 621 FT LEFT OF CENTERLINE, UP TO 1808 FT MSL. TREES BEGINNING 3806 FT FROM DER, 1 FT LEFT OF CENTERLINE, UP TO 1813 FT MSL. TREE 4208 FT FROM DER, 38 FT LEFT OF CENTERLINE, 1816 FT MSL. TREES BEGINNING 4322 FT FROM DER, 50 FT RIGHT OF CENTERLINE, UP TO 1825 FT MSL. TREES BEGINNING 4376 FT FROM DER, 159 FT LEFT OF CENTERLINE, UP TO 1825 FT MSL." - NEW SURVEY DATA.

4. CHANGED TAKEOFF OBSTACLE NOTES FROM "NOTE: RWY 25, ANT ON BLDG 424' FROM DER, 262' LEFT OF CENTERLINE, 14' AGL/1733' MSL. TREE 731' FROM DER, 652' LEFT OF CENTERLINE, 72' AGL/1761' MSL." TO READ "NOTE: RWY 25, LIGHTING 10 FT FROM DER, 29 FT LEFT OF CENTERLINE, 2 FT AGL/1722 FT MSL. LIGHTING 10 FT FROM DER, 30 FT RIGHT OF CENTERLINE, 2 FT AGL/1722 FT MSL. BUILDING 424 FT FROM DER, 261 FT LEFT OF CENTERLINE, 21 FT AGL/1733 FT MSL. TREE 733 FT FROM DER, 654 FT LEFT OF CENTERLINE, 84 FT AGL/1753 FT MSL. TREE 762 FT FROM DER, 662 FT LEFT OF CENTERLINE, 1756 FT MSL." - NEW SURVEY DATA.

5. CHANGED TAKEOFF OBSTACLE NOTES FROM "NOTE: RWY 31, VEHICLES ON ROAD 0' FROM DER, 403' RIGHT OF CENTERLINE, 15' AGL/1734' MSL. RISING TERRAIN BEGINNING ABEAM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 1749' MSL. MULTIPLE TREES BEGINNING 404' FROM DER, 127' RIGHT OF CENTERLINE, UP TO 62' AGL/1801' MSL. MULTIPLE TREES BEGINNING 577' FROM DER, 630' LEFT OF CENTERLINE, UP TO 44' AGL/1793' MSL. TREE 3,695' FROM DER, 35' AGL/1834' MSL. TREE 6082 FT FROM DER, 846' LEFT OF CENTERLINE, 100' AGL/1879' MSL." TO READ "NOTE: RWY 31, SIGN 23 FT FROM DER, 200 FT LEFT OF CENTERLINE, 1724 FT MSL. TERRAIN BEGINNING 29 FT FROM DER, 303 FT LEFT OF CENTERLINE, UP TO 1735 FT MSL. TREES BEGINNING 46 FT FROM DER, 464 FT RIGHT OF CENTERLINE, UP TO 73 FT AGL/1781 FT MSL. TREE, TERRAIN BEGINNING 83 FT FROM DER, 423 FT LEFT OF CENTERLINE, UP TO 1740 FT MSL. FENCE, TERRAIN BEGINNING 133 FT FROM DER, 316 FT LEFT OF CENTERLINE, UP TO 1747 FT MSL. TREES BEGINNING 194 FT FROM DER, 460 FT RIGHT OF CENTERLINE, UP TO 72 FT AGL/1785 FT MSL. FENCE 238 FT FROM DER, 500 FT LEFT OF CENTERLINE, 1751 FT MSL. FENCE, TREE, TERRAIN BEGINNING 354 FT FROM DER, 471 FT LEFT OF CENTERLINE, UP TO 1752 FT MSL. TREES BEGINNING 402 FT FROM DER, 470 FT RIGHT OF CENTERLINE, UP TO 68 FT AGL/1790 FT MSL. FENCE BEGINNING 457 FT FROM DER, 500 FT LEFT OF CENTERLINE, UP TO 1753 FT MSL. TREE 578 FT FROM DER, 630 FT LEFT OF CENTERLINE, 40 FT AGL/1783 FT MSL. TREE, TERRAIN, FENCE BEGINNING 582 FT FROM DER, 376 FT LEFT OF CENTERLINE, UP TO 1806 FT MSL. TREES BEGINNING 764 FT FROM DER, 475 FT RIGHT OF CENTERLINE, UP TO 1800 FT MSL. TREES BEGINNING 775 FT FROM DER, 201 FT LEFT OF CENTERLINE, UP TO 1814 FT MSL. TREES BEGINNING 947 FT FROM DER, 536 FT RIGHT OF CENTERLINE, UP TO 1805 FT MSL. TREE 1011 FT FROM DER, 737 FT RIGHT OF CENTERLINE, 1808 FT MSL. TREES BEGINNING 1057 FT FROM DER, 390 FT RIGHT OF CENTERLINE, UP TO 1813 FT MSL. TREES BEGINNING 1266 FT FROM DER, 68 FT RIGHT OF CENTERLINE, UP TO 84 FT AGL/1819 FT MSL. TREES BEGINNING 3494 FT FROM DER, 372 FT LEFT OF CENTERLINE, UP TO 1817 FT MSL. TREE 3517 FT FROM DER, 786 FT LEFT OF CENTERLINE, 1824 FT MSL. TREES BEGINNING 3540 FT FROM DER, 447 FT LEFT OF CENTERLINE, UP TO 1835 FT MSL. TREES BEGINNING 3741 FT FROM DER, 419 FT LEFT OF CENTERLINE, UP TO 1841 FT MSL. TREE 4412 FT FROM DER, 1677 FT LEFT OF CENTERLINE, 1843 FT MSL. TREES BEGINNING 4490 FT FROM DER, 1435 FT LEFT OF CENTERLINE, UP TO 1844 FT MSL. TREE 4518 FT FROM DER, 1644 FT LEFT OF CENTERLINE, 1846 FT MSL. TREES BEGINNING 4615 FT FROM DER, 1457 FT LEFT OF CENTERLINE, UP TO 1856 FT MSL. TREES BEGINNING 4871 FT FROM DER, 1518 FT LEFT OF CENTERLINE, UP TO 1862 FT MSL. TREES BEGINNING 5135 FT FROM DER, 1044 FT LEFT OF CENTERLINE, UP TO 1868 FT MSL. TREES BEGINNING 5582 FT FROM DER, 1296 FT LEFT OF CENTERLINE, UP TO 1874 FT MSL. TREES BEGINNING 5725 FT FROM DER, 1015 FT LEFT OF CENTERLINE, UP TO 1875 FT MSL." - NEW SURVEY DATA.

6. CHANGED RWY 31 CONTROLLING OBSTACLES FROM 1879 MSL TREE 420951.05N/0791703.82W TO 1880 FT MSL TREE 420942.82N/0791704.27W (CLIMB GRADIENT), 1887 FT MSL TREE 420946.85N/0791705.33W (CGTA/CEILING/VISIBILITY) TO CONTROLLING OBSTACLES - NEW CONTROLLING OBSTACLES.

