

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> JACKSON COUNTY	<u>AIRPORT ID</u> K26R	<u>PROCEDURE NAME</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG-A	<u>CITY</u> EDNA	<u>STATE</u> TX
<u>AIRPORT ELEVATION</u> 61	<u>TDZE</u>	<u>SUPERSEDED</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>DATED</u> 12/10/2015	<u>MAG VAR</u> 3E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 24 MAY 2018	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL SUSPEND</u>	<u>EPOCH YEAR</u> 2020

TAA

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>ALTITUDE</u>
1. 057/30 CW 237/30	NOPT	ZEDNA	IF/IAF	2000
2. 237/30 CW 057/30	PT	ZEDNA	IF/IAF	2200

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
ZEDNA	IF/IAF	SHAVE		TF	FB	1.00	146.59	6.10	1600
SHAVE	FAF	RW15	MAP	TF	FO	0.30	146.62	4.71	
RW15	MAP	461 MSL		CA			146.62		
461 MSL		MERRY		DF	FO	1.00			2200

MISSED APPROACH

MAP:

LNAV: RW15

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2200 DIRECT MERRY AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD NW ZEDNA, RT, 146.59 INBOUND, 2000 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAC: 146.62

FAF: SHAVE

DIST FAF TO MAP: 4.71

DIST FAF TO THLD:

4. MIN ALT: ZEDNA 2000, SHAVE 1600

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

HAT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1:

20:1:

TCH:

8. MSA FROM:

PBN EQUIPMENT REQUIREMENTS NOTES

RNP APCH

NOTES:

CHART NOTE: USE VICTORIA ALTIMETER SETTING; WHEN NOT RECEIVED, USE PORT LAVACA ALTIMETER SETTING.

ADDITIONAL FLIGHT DATA:

SHAVE TO RW15: 3.00/40
CHART VICTORIA RGNL ASOS.
CHART CIRCLING ICON.
FAS OBST: 290 AAO 290140N/0963643W.
HOLD SE, RT, 326.69 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
CIRCLING	640	1	579	640	1	579		NA			NA				

CHANGES - REASONS

REMOVED CHART NOTE: DME/DME RNP-0.3 NA - EQUIPMENT NOTE NOT REQUIRED PER 8260.19H, PAR 8-6-8.
REMOVED CHART NOTE: PROCEDURE NA AT NIGHT - TO CANCEL T-NOTAM !FDC 8/6736.
REMOVED CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA - TO CANCEL T-NOTAM !FDC 8/6736.
CHART PBN REQUIREMENTS NOTE: RNP APCH - TO COMPLY WITH 8260.19H, PAR 8-6-8.



COORDINATED WITH:

A4A ☐ ALPA ☒ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: ZHU ARTCC, AMGR

FLIGHT CHECKED BY

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-333) MEMO, DEC 22, 2017.

DEVELOPED BY

LONNIE EVERHART (ANDRE MARSH)

Digitally signed by
ROBERT G HAMILTON
Mar 26, 2018

APPROVED BY

LONNIE EVERHART

Digitally signed by
ROBERT G HAMILTON
Mar 26, 2018

OFFICE Digitally signed by DATE

ROBERT G HAMILTON
Mar 26, 2018

OFFICE DATE
AJV-5400 03/19/2018

OFFICE DATE TITLE
AJV-5400 MANAGER

