

**Federal Aviation
Administration**

Transmittal Letter 18-14

May 18, 2018

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

21-Jun-18	TX	Stratford	Stratford Field	8/6666	5/2/18	Takeoff Minimums and Obstacle DP, Amdt 4
-----------	----	-----------	-----------------	--------	--------	---

AIRAC Date: 21 JUNE 2018

**FDC 8/6666 H70 ODP STRATFORD FIELD, Stratford, TX. TAKEOFF MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT 4... TAKEOFF MINIMUMS: RWY
22, 400-2 OR STANDARD WITH MINIMUM CLIMB OF 350 FT PER NM TO 4200.
THIS IS TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES,
AMDT 4A. 1804101814-PERM**