Federal Aviation Administration

Transmittal Letter 18-26

November 2, 2018

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBE	FDC DATE	SUBJECT
6-Dec-18	NY	Albany	Albany Intl	8/6757	10/29/18	RNAV (RNP) Z RWY 19, Orig-A

AIRAC Date: 6 DECEMBER 2018

FDC **8/6757** ALB IAP ALBANY INTL, Albany, NY. RNAV (RNP) Z RWY 19, ORIG-A... RNP 0.30 DA 763/HAT 483, VIS RVR 5000 ALL CATS. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -15C (3F) OR ABOVE 47C (117F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -15C OR ABOVE 47C. DELETE NOTE: FOR INOPERATIVE MALS, INCREASE RNP 0.30 VISIBILITY TO 1 1/4. CHART NOTE: FOR INOPERATIVE ALS INCREASE RNP 0.30 VISIBILITY TO 1 3/8. DELETE NOTE: GPS REQUIRED. PBN REQUIREMENTS NOTE: RNP AR APCH. THIS IS RNAV (RNP) Z RWY 19, ORIG-B. 1807301356-PERM