Federal Aviation Administration

Transmittal Letter 19-13

MAY 3, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/20/2019	RI	Providence	Theodore Francis Green State	8/3757	4/16/2019	RNAV (GPS) Y RWY 23, Amdt 2A

AIRAC Date: 20 JUNE 2019

FDC 8/3757 PVD IAP THEODORE FRANCIS GREEN STATE, Providence, RI. RNAV (GPS) Y RWY 23, AMDT 2A... LNAV MDA 460/HAT 410 ALL CATS, VISIBILITY CATS C/D RVR 4000. CIRCLING CAT A HAA 506, CAT B MDA 640/HAA 586, CAT C HAA 586, CAT D HAA 806. CHART NOTE: FOR INOPERATIVE ALS, INCREASE LNAV CATS C/D VISIBILITY TO RVR 6000. DELETE NOTE: FOR INOP MALSR INCREASE LNAV CATS C AND D VISIBILITY TO RVR 5000. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -17C (2F) OR ABOVE 54C (130F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -17C OR ABOVE 54C. DELETE APT ELEV 55, CHART APT ELEV 54. CHART FAS OBST: 194 POLE 414419N/0712541W. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. THIS IS RNAV (GPS) Y RWY 23, AMDT 2B. 1810291202-PERM