

**Federal Aviation
Administration**

Transmittal Letter 18-25

October 19, 2018

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBE	FDC DATE	SUBJECT
6-Dec-18	AL	Muscle Shoals	Northwest Alabama Rgnl	8/6698	10/15/18	RNAV (GPS) RWY 18, Amdt 1A

AIRAC Date: 6 DECEMBER 2018

FDC 8/6698 MSL IAP NORTHWEST ALABAMA RGNL, Muscle Shoals, AL. RNAV (GPS) RWY 18, AMDT 1A... PBN EQUIPMENT REQUIREMENTS NOTE: RNP APCH. CHART NOTE: RWY 18 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. CHART NOTE: CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DECATUR ALTIMETER SETTING AND INCREASE LPV DA TO 880, LNAV/VNAV DA TO 1065 AND ALL MDA 100 FEET, INCREASE LNAV CAT C VISIBILITY 1/4 SM, INCREASE CIRCLING CAT C VISIBILITY 1/2 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DECATUR ALTIMETER SETTING AND INCREASE LPV DA TO 872, LNAV/VNAV DA TO 1057 AND ALL MDA 100 FEET, INCREASE LNAV/VNAV ALL CATS VISIBILITY AND LNAV CAT C VISIBILITY 1/4 MILE, INCREASE CIRCLING CAT C VISIBILITY 1/2 MILE. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: RWY 18 STRAIGHT-IN AND CIRCLING MINIMUMS NA AT NIGHT. THIS IS RNAV (GPS) RWY 18, AMDT 1B. 1807171454-PERM