

**Federal Aviation  
Administration**

**Transmittal Letter 18-25**

**October 19, 2018**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBE	FDC DATE	SUBJECT
6-Dec-18	FL	Hollywood	North Perry	8/7536	10/15/18	Takeoff Minimums and Obstacle DP, Amdt 5

**AIRAC Date: 6 DECEMBER 2018**

FDC **8/7536** HWO ODP NORTH PERRY, Hollywood, FL. TAKEOFF MINIMUMS AND  
(OBSTACLE) DEPARTURE PROCEDURES AMDT 5... TAKE-OFF MINIMUMS: RWY  
19L/19R, 400-2 3/4 OR STANDARD WITH MINIMUM CLIMB OF 220 FT PER NM TO  
500 . TEXTUAL DEPARTURE PROCEDURE: RWY 10L/10R, RIGHT TURN ON  
DEPARTURE NA. ALL OTHER DATA REMAINS AS PUBLISHED. THIS IS TAKEOFF  
MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES, AMDT 5A.  
1808262222-PERM