

TAKEOFF MINIMUMS AND TEXTUAL DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

RWY 4, 35 STANDARD.

RWY 17, 500-2 1/4 OR STANDARD WITH MINIMUM CLIMB OF 266 FEET PER NM TO 900.

RWY 22, STANDARD WITH MINIMUM CLIMB OF 312 FEET PER NM TO 1500, OR 1100-2 1/2 FOR CLIMB IN VISUAL CONDITIONS.

(2) DEPARTURE PROCEDURE:

RWY 17, CLIMB VIA HEADING 165 TO 900 BEFORE TURNING NORTHEAST.

RWY 22, CLIMB TO 1500 DIRECT LE LOM. CROSS LE LOM AT 1500 OR ABOVE BEFORE TURNING SOUTHWEST. FOR CLIMB IN VISUAL CONDITIONS CROSS AUBURN/LEWISTON MUNI AT OR ABOVE 1300.

(3) TAKEOFF OBSTACLE NOTES: NOTE: RWY 4, MULTIPLE TREES BEGINNING 297 FEET FROM DER, 78 FEET RIGHT OF CENTERLINE, UP TO 90 FEET AGL/386 FEET MSL. MULTIPLE TREES BEGINNING 331 FEET FROM DER, 277 FEET LEFT OF CENTERLINE, UP TO 86 FEET AGL/323 FEET MSL. ABND ACFT 73 FEET FROM DER, 478 FEET RIGHT OF CENTERLINE, 19 FEET AGL/289 FEET MSL. ABND ACFT 36 FEET FROM DER, 451 FEET RIGHT OF CENTERLINE, 18 FEET AGL/288 FEET MSL. POLE 1487 FEET FROM DER, 348 FEET RIGHT OF CENTERLINE, 51 FEET AGL/314 FEET MSL. POLE 101 FEET FROM DER, 387 FEET LEFT OF CENTERLINE, 37 FEET AGL/277 FEET MSL. FENCE 132 FEET FROM DER, 306 FEET RIGHT OF CENTERLINE, 11 FEET AGL/267 FEET MSL. NOTE: RWY 17, TREE 1209 FEET FROM DER, 390 FEET RIGHT OF CENTERLINE, 72 FEET AGL/364 FEET MSL. TREE 909 FEET FROM DER, 336 FEET RIGHT OF CENTERLINE, 51 FEET AGL/350 FEET MSL. CONTINUED

(4) CONTROLLING OBSTACLES:

RWY 4: 329 MSL TREE 440317.59/0701640.58. 284 MSL TREE 440322.30/0701644.26. 386 MSL TREE 440327.67/0701630.33. 315 MSL TREE 440321.71/0701652.04. 323 MSL TREE 440332.54/0701643.16. 289 MSL ABND ACFT 440315.75/0701642.36. 288 MSL ABND ACFT 440315.53/0701642.91. 314 MSL POLE 440329.00/0701635.99. 277 MSL POLE 440319.53/0701652.99. 267 MSL FENCE 440316.98/0701644.17. 385 MSL TREE 440325.10/07016.31. 385 MSL TREE 440327.67/0701630.33. 374 MSL TREE 440327.24/0701633.06. 342 MSL TREE 440322.23/0701639.62. 365 MSL TREE 440331.29/0701631.32. 364 MSL TREE 440331.29/0701631.32. 335 MSL TREE 440322.23/0701639.62. CONTINUED

(5) City, State

AUBURN/LEWISTON, ME

(6) Airport

AUBURN/LEWISTON MUNI

(7) Effective Date

MAR 17 2005

(8) Amdt. No.

5

TAKEOFF MINIMUMS AND TEXTUAL DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

(2) DEPARTURE PROCEDURE:

(3) TAKEOFF OBSTACLE NOTES: CONTINUED TREE 1819 FEET FROM DER, 169 FEET LEFT OF CENTERLINE, 92 FEET AGL/371 FEET MSL. TREE 1053 FEET FROM DER, 252 FEET LEFT OF CENTERLINE, 60 FEET AGL/336 FEET MSL. TREE 575 FEET FROM DER, 175 FEET LEFT OF CENTERLINE, 39 FEET AGL/322 FEET MSL. TREE 881 FEET FROM DER, 110 FEET RIGHT OF CENTERLINE, 35 FEET AGL/327 FEET MSL. TERRAIN 159 FEET FROM DER, 487 FEET RIGHT OF CENTERLINE, 0 FEET AGL/302 FEET MSL. TREE 1.9 NM FROM DER, 247 FEET LEFT OF CENTERLINE, 129 FEET AGL/576 FEET MSL. TERRAIN 276 FEET FROM DER, 302 FEET RIGHT OF CENTERLINE, 0 FEET AGL/299 FEET MSL. ROAD 531 FEET FROM DER, 156 FEET LEFT OF CENTERLINE, 0 FEET AGL/305 FEET MSL. TERRAIN 533 FEET FROM DER, 463 FEET RIGHT OF CENTERLINE, 0 FEET AGL/302 FEET MSL. TERRAIN 18 FEET FROM DER, 140 FEET RIGHT OF CENTERLINE, 0 FEET AGL/289 FEET MSL. CONTINUED

(4) CONTROLLING OBSTACLES:

RWY 4 CONTINUED 360 MSL TREE 440331.35/0701632.88. 355 MSL TREE 440331.60/0701633.31. 319 MSL TREE 440319.24/0701642.46. 318 MSL TREE 440319.24/0701642.46. 319 MSL TREE 440325.82/0701650.30. 318 MSL TREE 440325.82/0701650.30. 311 MSL TREE 440323.90/0701651.82. 314 MSL TREE 440326.01/0701651.83. 319 MSL TREE 440327.98/0701646.70. 316 MSL TREE 440327.98/0701646.70. 314 MSL TREE 440328.83/0701646.20. 331 MSL TREE 440334.55/0701633.90. 330 MSL TREE 440334.71/0701634.70. RWY 17: 364 MSL TREE 440230.73/0701642.23. 350 MSL TREE 440233.52/0701643.78. 371 MSL TREE 440228.56/0701631.31. 336 MSL TREE 440235.40/0701635.92. CONTINUED

(5) City, State

AUBURN/LEWISTON, ME

(6) Airport

AUBURN/LEWISTON MUNI

(7) Effective Date

MAR 17 2005

(8) Amdt. No.

5

TAKEOFF MINIMUMS AND TEXTUAL DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

(2) DEPARTURE PROCEDURE:

(3) TAKEOFF OBSTACLE NOTES:CONTINUED

TOWER 1.7 NM FROM DER, 4211 FEET LEFT OF CENTERLINE, 193 FEET AGL/752 FEET MSL. NOTE: RWY 22, TREE 4322 FEET FROM DER, 1403 FEET RIGHT OF CENTERLINE, 87 FEET AGL/439 FEET MSL. TREE 4970 FEET FROM DER, 616 FEET LEFT OF CENTERLINE, 62 FEET AGL/414 FEET MSL. TREE 5547 FEET FROM DER, 633 FEET RIGHT OF CENTERLINE, 86 FEET AGL/428 FEET MSL. TREE 5242 FEET FROM DER, 1108 FEET RIGHT OF CENTERLINE, 51 FEET AGL/419 FEET MSL. TREE 3040 FEET FROM DER, 993 FEET RIGHT OF CENTERLINE, 74 FEET AGL/363 FEET MSL. GROUND 4784 FEET FROM DER, 88 FEET RIGHT OF CENTERLINE, 0 FEET AGL/404 FEET MSL. GROUND 3902 FEET FROM DER, 811 FEET RIGHT OF CENTERLINE, 0 FEET AGL/375 FEET MSL. CONTINUED

(4) CONTROLLING OBSTACLES:

RWY 17 CONTINUED 322 MSL TREE 440239.00/0701640.30. 327 MSL TREE 440234.94/0701641.37. 302 MSL TERRAIN 440239.00/0701651.00. 576 MSL TREE 440109.55/0701521.83. 299 MSL TERRAIN 440239.00/0701648.00. 305 MSL ROAD 440239.27/0701640.83. 302 MSL TERRAIN 440236.00/0701648.00. 289 MSL TERRAIN 440242.00/0701648.00. 752 MSL TOWER 440138.00/0701442-OIS 35' ABOVE DER ELEVATION. RWY 22: 439 MSL TREE 440159.75/0701758.40. 414 MSL TREE 440144.84/0701737.43. 428 MSL TREE 440144.75/0701756.26. 419 MSL TREE 440149.73/0701800.27. 363 MSL TREE 440209.12/0701746.35. 404 MSL GROUND 440149.37/0701745.16. 375 MSL GROUND 440200.37/0701749.11. CONTINUED

(5) City, State

AUBURN/LEWISTON, ME

(6) Airport

AUBURN/LEWISTON MUNI

(7) Effective Date

MAR 17 2005

(8) Amdt. No.

5

TAKEOFF MINIMUMS AND TEXTUAL DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

(1) TAKEOFF MINIMUMS:

(2) DEPARTURE PROCEDURE:

(3) TAKEOFF OBSTACLE NOTES:CONTINUED

TREE 3189 FEET FROM DER, 500 FEET RIGHT OF CENTERLINE, 73 FEET AGL/352 FEET MSL. NOTE: RWY 35, TREE 1877 FEET FROM DER, 357 FEET LEFT OF CENTERLINE, 104 FEET AGL/344 FEET MSL. TREE 870 FEET FROM DER, 380 FEET RIGHT OF CENTERLINE, 72 FEET AGL/312 FEET MSL. TREE 1146 FEET FROM DER, 378 FEET LEFT OF CENTERLINE, 77 FEET AGL/317 FEET MSL. TREE 1520 FEET FROM DER, 170 FEET RIGHT OF CENTERLINE, 62 FEET AGL/302 FEET MSL.

(4) CONTROLLING OBSTACLES:

RWY 22 CONTINUED 352 MSL TREE 440205.41/0701741.28. 1505 MSL TOWER 440012.00/0702522.00. 2049 MSL TOWER 435529.00/0702927.00. RWY 35: 344 MSL TREE 440319.72/0701724.34. 312 MSL TREE 440315.16/0701708.46. 317 MSL TREE 440313.49/0701719.26. 302 MSL TREE 440319.50/0701715.63.

(5) City, State

AUBURN/LEWISTON, ME

(6) Airport

AUBURN/LEWISTON MUNI

(7) Effective Date

MAR 17 2005

(8) Amdt. No.

5