

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MAP: 5.92 MILES AFTER STW VOR/DME

CLIMBING LEFT TURN TO 3000 DIRECT STW VOR/DME AND HOLD.

ADDITIONAL FLIGHT DATA:
HOLD W. RT, 094.00 INBOUND.
FAS OBST: 1139 AAO 410108N/0744851W
FAC CROSSES MID POINT OF RWY 3-21

1. PT L SIDE OF COURSE 273.61 OUTBOUND 3000 FT WITHIN 5 MILES OF STW VOR/DME (IAF)
 2. _____
 3. FAC 093.61 FAF STW VOR/DME DIST FAF TO MAP 5.92 THLD _____
 4. MIN. ALT STW VOR/DME 2800
 8. MSA FROM: STW VOR/DME 045-135 3100, 135-225 2600, 225-045 3500

MAG VAR: 11W EPOCH YEAR: 1980

MINIMUMS

TAKEOFF: <input type="checkbox"/> STANDARD <input checked="" type="checkbox"/> X SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A						@								
	A			B			C			D			E		
CATEGORY =====>	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	1560	1 1/4	977	NA			NA			NA					

NOTES:
 CHART NOTE: PROCEDURE NA AT NIGHT EXCEPT BY PRIOR ARRANGEMENT FOR RUNWAY LIGHTS. @ CAT A 1000-2
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CALDWELL ALTIMETER SETTING AND INCREASE MDA 120 FT. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE ANDOVER, NJ	ELEVATION: 583 TDZE: AIRPORT NAME: AEROFLEX-ANDOVER	FACILITY IDENTIFIER: STW	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR-A, AMDT 8 JUN - 5 2008	SUP
				AMDT 7A
				DATE 06/25/1992

