

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> LAUREL	<u>AIRPORT ID</u> KN06	<u>PROCEDURE NAME</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG-A	<u>CITY</u> LAUREL	<u>STATE</u> DE	
<u>AIRPORT ELEVATION</u> 30	<u>TDZE</u>	<u>SUPERSEDED</u> RNAV (GPS)-A	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>DATED</u> 04/05/2012	<u>MAG VAR</u> 12W	<u>EPOCH YEAR</u> 2000
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 28 FEBRUARY 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
ATR VOR/DME		GIBAE		TF	FB	1.00	212.23	21.31	1800
SBY VORTAC	IAF	NEIDA	NOPT	TF	FB	1.00	047.08	5.41	1800
GIBAE	IAF	NEIDA	NOPT	TF	FB	1.00	238.55	5.00	1800
NEIDA	IF/IAF	WIKIE		TF	FB	1.00	328.50	4.88	1700
WIKIE	FAF	RW33	MAP	TF	FO	0.30	328.46	5.12	
RW33	MAP	430 MSL		CA			328.46		
430 MSL		NEIDA		DF	FO	1.00			1800

MISSED APPROACH

MAP:

RW33

MISSED APPROACH INSTRUCTIONS:

CLIMBING RIGHT TURN TO 1800 DIRECT NEIDA AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD SE NEIDA, RT, 328.50 INBOUND, 1800 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAC: 328.46

FAF: WIKIE

DIST FAF TO MAP: 5.12

DIST FAF TO THLD:

4. MIN ALT: NEIDA 1800, WIKIE 1700

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS NOT CLEAR

20:1: IS NOT CLEAR

TCH:

8. MSA FROM: RW33 2100

PBN REQUIREMENTS NOTE:

RNP APCH

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ATR VOR/DME ON V308 EASTBOUND.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT SBY VORTAC ON V29 SOUTHBOUND.
CHART NOTE: USE SALISBURY ALTIMETER SETTING, WHEN NOT RECEIVED, USE GEORGETOWN ALTIMETER SETTING.

ADDITIONAL FLIGHT DATA:

CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.
CHART R-4006
CHART FAS OBST: 542 TOWER 383040N/0753318W.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
CIRCLING	880	1 1/4	850	880	1 1/4	850		NA			NA				



CHANGES - REASONS

1. DELETED CHART NOTE: DME/DME RNP-0.3 NA - IAW 8260.19H 8-6-8 (B(1)) PBN NAVSPEC.
2. PBN REQUIREMENTS NOTE: RNP APCH - IAW 8260.19H 8-6-8 (B(1)) PBN NAVSPEC.
3. ADDED ADDITIONAL FLIGHT DATA PROFILE NOTE" VISUAL SEGMENT - OBSTACLES - FLIGHT INSPECTION RESULTS OF 2/28/2018 FOUND OBSTRUCTIONS WITHIN THE VISUAL SEGMENT OF THIS PROCEDURE.
4. DELETED ADDITIONAL FLIGHT DATA NOTE: 3.00/TCH 40 - FLIGHT INSPECTION FINDINGS ON 2/28/2018 OF OBSTRUCTIONS WITHIN THE VISUAL SEGMENT, WARRANTED REMOVAL OF THIS NOTE.
5. ADDED 20:1 IS NOT CLEAR TO LINE 7 OF -3 FORM - - IAW 8260.19H 8-6-7 (G(3)) FOR DOCUMENTING CLEAR SLOPES FOR RNAV PROCEDURE.
6. ADDED MAXIMUM ALTITUDE "6000" AT FIX NEIDA - NEW REPORTS FORMAT NOW INCLUDES MAXIMUM HOLDING ALTITUDES AT HOLD-IN-LIEU FIXES.
7. DELETED HELICOPTER VISIBILITY NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA - CAT A VISIBILITY IS 1 1/4 SM, ONLY REDUCTION TO VISIBILITY IS 1 OR 3/4 SM. NOTE NOT REQUIRED.

NOTAM FDC 8/3800 INCORPORATED INTO AMENDMENT, NOTAM CANCELLED.

PDF EDIT 10/11/18: JAMES LAFFERTY, REMOVED NEW CIRCLING DIMENSIONS STATEMENT "ORDER 8260.3, VOLUME 1, CHAPTER 2, NEW CIRCLING CRITERIA APPLIED" FROM REMARKS SECTION C.

PDF EDIT 10/11/18: JAMES LAFFERTY, CHANGED DATE OF STATEMENT "FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-333) MEMO, DEC 22, 2017" FROM "DEC 22, 2017" TO "OCT 3, 2018".

COORDINATED WITH:

A4A ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** NHK APP CON, ZDC, EST FPO, AIRPORT MANAGER

FLIGHT CHECKED BY

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCT 3, 2018.

OFFICE

Digitally signed by

DATE

DAVID TEFFETELLER

Oct 24, 2018

DEVELOPED BY

Digitally signed by

JAMES LAFFERTY

JAMES LAFFERTY

Oct 17, 2018

OFFICE

AJV-5433

DATE

10/11/2018

APPROVED BY

PATRICK MULQUEEN

Digitally signed by

DAVID TEFFETELLER AJV-5430

Oct 24, 2018

OFFICE**DATE****TITLE**

MANAGER

QUALITY
16
CHECKED