

**Federal Aviation  
Administration**

**Transmittal Letter 18-25**

**October 19, 2018**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

| AIRAC DATE | STATE | CITY       | AIRPORT         | FDC NUMBE | FDC DATE | SUBJECT                    |
|------------|-------|------------|-----------------|-----------|----------|----------------------------|
| 6-Dec-18   | IA    | Fort Dodge | Fort Dodge Rgnl | 8/8749    | 10/3/18  | RNAV (GPS) RWY 24, Amdt 1A |

**AIRAC Date: 6 DECEMBER 2018**

FDC **8/8749** FOD IAP FORT DODGE RGNL, Fort Dodge, IA. RNAV (GPS) RWY 24, AMDT 1A... LNAV MDA 1560/HAT 404 ALL CATS, VISIBILITY CAT C 1-1/8. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: BARO-VNAV NA WHEN USING WEBSTER CITY ALTIMETER SETTING. CHART NOTE: BARO-VNAV AND VDP NA WHEN USING WEBSTER CITY ALTIMETER SETTING. CHART PROFILE NOTE: ASTERISK, VDP AT 1.14 NM TO RW24. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 46C (114F).. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LANV/VNAV NA BELOW -17C OR ABOVE 46C.. CHART FAS OBST: 1291 TRANSMISSION LINE 423428N/0940710W. THIS IS RNAV (GPS) RWY 24, AMDT 1B. 1808281641-PERM