

**Federal Aviation
Administration**

Transmittal Letter 19-02

November 30, 2018

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3-Jan-19	CO	Denver	Denver Intl	8/9100	11/21/18	RNAV (GPS) Y RWY 26, Amdt 1B

AIRAC Date: 3 JANUARY 2019

FDC **8/9100** DEN IAP DENVER INTL, Denver, CO. RNAV (GPS) Y RWY 26, AMDT 1B... LNAV MDA 5660/HAT 351, VISIBILITY CAT C/D RVR 3000. CHART NOTE: FOR INOPERATIVE ALS, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO RVR 4000 AND LNAV CAT C/D VISIBILITY TO RVR 5500. DELETE NOTE: FOR INOPERATIVE MALSR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO RVR 4000 AND LNAV CAT C/D VISIBILITY TO RVR 4500. VDP AT 1.0 NM TO RW26*. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. EQUIPMENT REQUIREMENTS NOTE: RADAR REQUIRED. DELETE PLANVIEW NOTE: RADAR REQUIRED. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -25C OR ABOVE 46C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -25C (-13F) OR ABOVE 46C (116F) CHART FAS OBST: 5398 MSL POLE 395213N/1043630W. THIS IS RNAV (GPS) Y RWY 26, AMDT 1C. 1811192135-PERM