

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<b>DP NAME</b> JALEX	<b>NUMBER</b> THREE	<b>DP COMPUTER CODE</b> JALEX3.JALEX	<b>SUPERSEDED NUMBER</b> TWO	<b>DATED</b> 07/21/2016	<b>EFFECTIVE DATE</b> <b>8 NOV 2018</b>
-------------------------	------------------------	---	---------------------------------	----------------------------	--

<b>TYPE:</b>	<b>OBSTACLE</b>	<b>COPTER</b>	<b>SID</b>	<b>SPECIAL</b>	<b>RNAV</b>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**DP ROUTE DESCRIPTION:**

**TAKEOFF RWY 5:** CLIMB TO 9000 OR ATC ASSIGNED HIGHER ALTITUDE DIRECT JALEX THEN ON TRACK 053.64 TO EBILE, THEN ON TRACK 010.13 TO CEBID, THEN ON TRACK 096.91 TO CROSS LONOK AT OR ABOVE 9000 BEFORE PROCEEDING ON COURSE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
-----------------	--------------------------	-----------------	---------------	--------	----------	-----	------	-------------------------

**PROCEDURAL DATA NOTES:**

**NOTE:** GPS REQUIRED.  
**NOTE:** RNAV 1.

**TAKEOFF MINIMUMS:**

**RWY 23:** NA-ATC  
**RWY 5:** STANDARD WITH MINIMUM CLIMB OF 253 FT/NM TO 900

**TAKEOFF OBSTACLES NOTES:**

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

**CONTROLLING OBSTACLES:**

**RWY 5:** 599 FEET MSL AAO 515519.91N/1763316.24W.

**LOST COMMUNICATIONS PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

**CHART:** 2910 AAO 520436.30N/1760637.90W.  
**DME/DME ASSESSMENT:** NOT CONDUCTED.  
**REFERENCE MAG VAR:** PADK 7E EPOCH YR: 2000.  
**CHART:** TOP ALTITUDE: ASSIGNED BY ATC.



**AIRPORTS SERVED:**

AIRPORT NAME	CITY	STATE
--------------	------	-------

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JALEX	THREE	JALEX3.JALEX	TWO	07/21/2016	<b>8 NOV 2018</b>
ADAK (PADK)			ADAK ISLAND		AK

**COMMUNICATIONS:**

ZAN, CTAF

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

ABBREVIATED AMENDMENT

*Digitally signed by  
**DONALD H LANIER***

**FLIGHT INSPECTED BY:**

Jul 31, 2018

**OFFICE SYMBOL:**

**DATE:**

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, DEC 22, 2017.

**DEVELOPED BY:**

LONNIE EVERHART (STEVEN DOUGHERTY)

*Digitally signed by  
**DONALD H LANIER***  
Jul 31, 2018

**OFFICE SYMBOL:**

AJV-5400

**DATE:**

06/04/2018

**APPROVED BY:**

LONNIE EVERHART

*Digitally signed by  
**DONALD H LANIER***  
Jul 31, 2018

**OFFICE SYMBOL:**

AJV-5400

**DATE:**

**REQUIRED EFFECTIVE DATE:**

ROUTINE

**COORDINATED WITH:**

<u>A4A</u>	<u>ALPA</u>	<u>AOPA</u>	<u>APA</u>	<u>HAI</u>	<u>NBAA</u>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**OTHER:**

ZAN, ANC FPO, AKDOT/PF, AVN-250

**CHANGES - REASONS:**

1. REMOVED ALL REFERENCES TO RWY 18/36, RWY 18/36 DECOMMISSIONED.
2. TAKEOFF OBSTACLE NOTES BLOCK: INSERTED STATEMENT FROM MEMO #259 FOR WAIVER INFO FOR TAKEOFF OBSTACLE NOTES.
3. COORDINATED WITH BLOCK: CHECKED A4A - AIRPORT SERVED BY SCHEDULED AIR CARRIERS/ATA REPLACED BY A4A.
4. CONTROLLING OBSTACLES: APPLIED 8260.46F APPENDIX D, SECTION 1 PARAGRAPH 10A



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JALEX	THREE	JALEX3.JALEX	TWO	07/21/2016	<b>8 NOV 2018</b>

  

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW05 (AER)	515242.02N/1763926.99W	N							CG 253 FT/NM TO 900
JALEX	515448.00N/1763325.67W	Y	FO	DF		04.28			
EBILE	515743.99N/1762458.46W	Y	FB	TF	060.64	06.00			
CEBID	521547.16N/1761554.06W	Y	FB	TF	017.13	18.92			
LONOK	520906.50N/1753255.01W	Y	FB	TF	103.91	27.28	AT/ABOVE 9000		

