

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
WYNET	OVAPE (FB)	342.78 / 17.51	2700	LP: RW08 LNAV: RW08
MIHAL (IAF)	UVOVE (NOPT) (FB)	145.44 / 11.89	2700	
OVAPE (IAF)	UVOVE (NOPT) (FB)	351.72 / 5.50	2700	CLIMB TO 2100 THEN CLIMBING LEFT TURN TO 2700 DIRECT PLL VOR/DME AND HOLD.
UVOVE (IF/IAF)	MINNR (FB)	081.70 / 7.00	2400	
MINNR (FAF)	RW08 (MAP) (FO)	081.80 / 4.96	2100	
RW08 (MAP)	2100 MSL	081.80	2100	ADDITIONAL FLIGHT DATA: HOLD W, RT, 085.00 INBOUND. CHART FAS OBST: 1100 TOWER 414929N/0892951W WAAS CHANNEL # 42821 REFERENCE PATH ID: W08A MINNR TO RW08: 3.00/40 LTP HAE: 205.3 M
2100 MSL	PLL VOR/DME (FO)		2700	

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD W UVOVE, RT, 081.70 INBOUND, 2700 FT. IN LIEU OF PT (IAF)
3. FAC: 081.80 FAF: MINNR DIST FAF TO MAP: 4.96 THLD: 4.96
4. MIN. ALT: UVOVE 2700, MINNR 2400
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR
8. MSA FROM: RW08 2500

MAG VAR: 2W EPOCH YEAR: 2010

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A X								
CATEGORY <u>====></u>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	1440	1	658	1440	1	658	1440	1 7/8	658						
LNAV MDA	1440	1	658	1440	1	658	1440	1 7/8	658						
CIRCLING	1500	1	715	1520	1	735	1520	2	735						

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 CHART NOTE: USE ROCHELLE ALTIMETER SETTING, WHEN NOT RECEIVED USE STERLING-ROCKFALLS ALTIMETER SETTING AND INCREASE ALL MDA 20 FEET, INCREASE CAT C CIRCLING VISIBILITY 1/4 MILE.
 (SEE FORM 8260-10)



CITY AND STATE DIXON, IL	ELEVATION: 785 THRE: 782 AIRPORT NAME: DIXON MUNI-CHARLES R. WALGREEN FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 30 JUN 2011	SUP: AMDT: ORIG-A DATED 09/24/2009
-----------------------------	--	------------------------------	---	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WYNET ON V8-38 EASTBOUND AND V127 SOUTHBOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MIHAL ON V172 WESTBOUND AND V63 SOUTHWEST BOUND.

CHART NOTE: PROCEDURE NA AT NIGHT.



CITY AND STATE DIXON, IL	ELEVATION: 785 AIRPORT NAME: DIXON MUNI-CHARLES R. WALGREEN FIELD	THRE: 782	FACILITY IDENTIFIER: RNAV	PROCEDURE NO / AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 30 JUN 2011	SUP:
					AMDT: ORIG-A
					DATED: 09/24/2009

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	C73
RUNWAY	RW08
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W08A
LTP/FTP LATITUDE	414956.8400N
LTP/FTP LONGITUDE	0892716.1200W
LTP/FTP ELLIPSOIDAL HEIGHT	+02053
FPAP LATITUDE	415012.5000N
FPAP LONGITUDE	0892518.7800W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1560
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER E509EDA2

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+02382
FPAP ORTHOMETRIC HEIGHT	+02382



CITY AND STATE DIXON, IL	ELEVATION: 785 THRE: 782 AIRPORT NAME: DIXON MUNI-CHARLES R. WALGREEN FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 1 30 JUN 2011	SUP:
				AMDT: ORIG-A
				DATED: 09/24/2009

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

RUNWAY 1 2 3 4 5 6 7 8 9 0 1 2 3
12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP C73 K5GRW08 0038970819 N41495684W089271612+0100 +0205300782000040075R

PP 1 2 3 4 5 6 7 8 9 0 1 2 3
123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP C73 K5PR08 RW08 001 0000W08A0N4149568400W08927161200+020530300N4150125000W08925187800106751560000400F400000E509EDA2
SUSAP C73 K5PR08 RW08 002E +02382+02382LP 42821

MSA 1 2 3 4 5 6 7 8 9 0 1 2 3
123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012

SUSAP C73 K5SRW08 K5PG 0 18018002525 M

CITY AND STATE

DIXON, IL

ELEVATION: 785

THRE: 782

AIRPORT NAME:

DIXON MUNI-CHARLES R. WALGREEN FIELD

FACILITY IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 8, AMDT 1

30 JUN 2011

SUP:

AMDT: ORIG-A

DATED: 09/24/2009