

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

VOR

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97. 23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MISSED APPROACH

MAP: 3.2 MILES AFTER LIT VORTAC OR AT 3.2 DME

CLIMBING LEFT TURN TO 3500 VIA LIT R-303 TO ROLAN INT AND HOLD.

ADDITIONAL FLIGHT DATA:

HOLD NW, RT, 123 INBOUND.

FAS OBST: 425 TREE 344242/921423

1. PT L SIDE OF COURSE 139 OUTBOUND 1800 FT WITHIN 10 MILES OF LIT VORTAC (IAF)

2.

3. FAC: 319 FAF: LIT VORTAC DIST FAF TO MAP: 3.2 THLD: -

4. MIN. ALT: LIT VORTAC 1800

5. MSA FROM: LIT VORTAC 3300

MAG VAR: 5E

EPOCH YEAR: 80

MINIMUMS

TAKEOFF: ☐ STANDARD ☒ SEE FAA FORM 8260-15 FOR THIS AIRPORT ALTERNATE: NA STANDARD @

CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	800	1	540	800	1	540	880	1 3/4	620	1180	3	920			

NOTES:

@ CAT D 1000-3

CITY AND STATE

LITTLE ROCK, AR

ELEVATION:

260

TDZE:

AIRPORT NAME:

ADAMS FIELD

FACILITY IDENTIFIER:

LIT

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

25 JUL 91

VOR-A ORIG

SUP NONE

AMDT:

DATED: