

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> MONROE RGNL	<u>AIRPORT ID</u> KMLU	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 14	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> MONROE	<u>STATE</u> LA	
<u>AIRPORT ELEVATION</u> 79	<u>TDZE</u> 79	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u>	<u>DATED</u>	<u>MAG VAR</u> 3E	<u>EPOCH YEAR</u> 1995
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 28 FEBRUARY 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TAA

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>ALTITUDE</u>
1. 047/30 CW 227/30	NOPT	FLESH	IF/IAF	3100
2. 227/30 CW 047/30		FLESH	IF/IAF	3100

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
FLESH	IF/IAF	JIVEY		TF	FB	1.00	139.94	10.91	1700
JIVEY	FAF	RW14	MAP	TF	FO	0.30	137.00	4.93	
RW14	MAP	479 MSL		CA			137.00		
479 MSL		WISUT		DF	FO	1.00			3100

MISSED APPROACH

MAP:

LP: RW14
 LNAV: RW14

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3100 DIRECT WISUT AND HOLD. CONTINUE CLIMB IN HOLD TO 3100.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD NW FLESH, RT, 139.94 INBOUND, 3100 FT. IN LIEU OF PT (IF/IAF), MAX 6000.

3. FAC: 137.00

FAF: JIVEY

DIST FAF TO MAP: 4.93

DIST FAF TO THLD: 4.93

4. MIN ALT: FLESH 3100, JIVEY 1700

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS NOT CLEAR

20:1: IS NOT CLEAR

TCH:

8. MSA FROM:

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: RWY 14 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
CHART NOTE: STRAIGHT-IN AND CIRCLING RWY 14 NA AT NIGHT.

ADDITIONAL FLIGHT DATA:

CHART CIRCLING ICON.
JIVEY TO RW14: 3.00/50.0.
WAAS CHANNEL #90542
REFERENCE PATH ID: W14A
CHART FAS OBST: 273 TOWER 323311N/0920430W.
HOLD SE, RT, 317.11 INBOUND
LTP HAE: -1.9 M

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD - CAT D 1100-3

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LP MDA	580	1	501	580	1	501	580	1 3/8	501	580	1 3/8	501			
LNAV MDA	580	1	501	580	1	501	580	1 3/8	501	580	1 3/8	501			
CIRCLING	580	1	501	620	1	541	740	1 3/4	661	1160	3	1081			

CHANGES - REASONS

ORIGINAL PROCEDURE.



COORDINATED WITH:

A4A ☒ ALPA ☒ AOPA ☒ APA ☒ HAI ☐ NBAA ☒ OTHER: ZFW, ZHU, ZME, MLU APP CON, AMGR

FLIGHT CHECKED BY

GREGORY MILLS

Digitally signed by
ROBERT G HAMILTON
Dec 10, 2018

OFFICE

FICO

DATE

12/6/18

DEVELOPED BY

DEZ SILAGYI (DARREN HOOPER)

Digitally signed by
ROBERT G HAMILTON
Dec 10, 2018

OFFICE

AJV-5421

DATE

08/30/2018

APPROVED BY

JULIE MORGAN

Digitally signed by
ROBERT G HAMILTON
Dec 10, 2018

OFFICE

AJV-5420

DATE

TITLE

MANAGER



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KMLU
RUNWAY	RW14
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W14A
LTP/FTP LATITUDE	323059.3755N
LTP/FTP LONGITUDE	0920229.8310W
LTP/FTP ELLIPSOIDAL HEIGHT	-00019
FPAP LATITUDE	322950.9480N
FPAP LONGITUDE	0920122.1555W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
CRC REMAINDER	2F7D7D53

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00240
FPAP ORTHOMETRIC HEIGHT	+00240

