

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

AURORA MUNI:

TAKEOFF RWY 9: CLIMB HEADING 090.14 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 15: CLIMB HEADING 147.71 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 18: CLIMB HEADING 180.95 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 27: CLIMB HEADING 270.15 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 33: CLIMB HEADING 327.71 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 36: CLIMB HEADING 000.95 TO 1220, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

DUPAGE:

TAKEOFF RWY 2L, 2R: CLIMB HEADING 015.01 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 10: CLIMB HEADING 097.02 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 15: CLIMB HEADING 148.56 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 20L, 20R: CLIMB HEADING 195.02 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 28: CLIMB HEADING 277.03 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 33: CLIMB HEADING 328.57 TO 1260, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

GARY/CHICAGO INTL:

TAKEOFF RWY 2: CLIMB HEADING 022.18 TO 1100, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 12: CLIMB HEADING 125.15 TO 1100, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 20: CLIMB HEADING 202.19 TO 1300, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 30: CLIMB HEADING 305.16 TO 1100, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

LEWIS UNIVERSITY:

TAKEOFF RWY 2: CLIMB HEADING 014.73 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 9: CLIMB HEADING 088.73 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 20: CLIMB HEADING 194.73 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...
TAKEOFF RWY 27: CLIMB HEADING 268.74 TO 1180, THEN AS ASSIGNED BY ATC, FOR VECTORS TO CMSKY, THENCE ...

... ON TRACK 185.04 TO CARYN, THEN ON (TRANSITION), MAINTAIN 3000. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
CYBIL	CARYN6.CYBIL	CARYN	CYBIL	TRACK 179.68	55.96	5000	2200	

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.
NOTE: DME/DME/IRU OR GPS REQUIRED.
NOTE: RNAV 1.
NOTE: TURBOJET DEPARTURES MAINTAIN 250 KIAS UNTIL ADVISED BY ATC.

TAKEOFF MINIMUMS:

AURORA MUNI:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019

RWY 9, 15, 18, 27, 33, 36: STANDARD.

DUPAGE:

RWY 2L, 2R, 10, 20L, 20R, 28, 33: STANDARD.

RWY 15: 300-1 3/8 OR STANDARD WITH MINIMUM CLIMB OF 205 FT PER NM TO 1000.

GARY/CHICAGO INTL:

RWY 12, 20, 30: STANDARD.

RWY 2: STANDARD WITH MINIMUM CLIMB OF 323 FT PER NM TO 900.

LEWIS UNIVERSITY:

RWY 20, 27: STANDARD.

RWY 2: STANDARD WITH MINIMUM CLIMB OF 420 FT PER NM TO 2700.

RWY 9: STANDARD WITH MINIMUM ATC CLIMB OF 260 FT PER NM TO 2700.

TAKEOFF OBSTACLES NOTES:

AURORA MUNI:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

DUPAGE:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

GARY/CHICAGO INTL:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

LEWIS UNIVERSITY:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

DUPAGE:

RWY 15: 927 FT MSL TOWER 415354.25N, 0881314.62W.

GARY/CHICAGO INTL:

RWY 2: 791 FT MSL STACK 413757.67N/0872408.22W, 823FT MSL STACK 413821.50N/0872425.23W.

OBSTACLE MANDATING ODP ROUTE DEVELOPMENT: RWY 20 - 1096 FT MSL TOWER 413358.15N/0872506.13W.

LEWIS UNIVERSITY:

RWY 2: 1087 FT MSL STACK 413759.00N/0880344.00W, 875 FT MSL TOWER 413755.00N/0880541.00W, 876 FT MSL TOWER 413755.97N/0880541.31W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KDPA 1W EPOCH YR: 1985.

DME/DME ASSESSMENT: SAT (RNP 2.0)

CHART: MEA/MOCA FROM CMSKY TO CARYN, 5000/2300.

PILOT NAVIGATION AREA:

7NM ARC CENTERED ON CMSKY (IF), CW
FROM: POINT A (BEARING 140 DEGREES TO CMSKY)



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019

TO: POINT B (BEARING 230 DEGREES TO CMSKY)
MINIMUM ALTITUDE - 5000
ALL AIRPORTS - CHART: TOP ALTITUDE: 3000

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
DUPAGE (KDPA)	CHICAGO/WEST CHICAGO	IL
AURORA MUNI (KARR)	CHICAGO/AURORA	IL
GARY/CHICAGO INTL (KGYG)	GARY	IN
LEWIS UNIVERSITY (KLOT)	CHICAGO/ROMEOVILLE	IL

COMMUNICATIONS:

ATIS, GND CON, TWR, DEP CON

FIXES AND/OR NAVAIDS:

REMARKS:

PER ATC, INITIAL CLIMB TO 3000 NECESSARY FOR SEPARATION. AIRCRAFT WILL BE AT/ABOVE 5000 BY CMSKY.

FLIGHT INSPECTED BY:

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESS IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCT 3, 2018.

OFFICE SYMBOL:

DATE:

DEVELOPED BY:

NICHOLAS K. JACKSON

Digitally signed by
NICHOLAS JACKSON
May 09, 2019

Digitally signed by
DONALD H LANIER
May 14, 2019

OFFICE SYMBOL:

AJV-A431

DATE:

05/09/2019

APPROVED BY:

LONNIE EVERHART

Digitally signed by
DONALD H LANIER
May 14, 2019

OFFICE SYMBOL:

AJV-A430

DATE:

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019

<u>A4A</u>	<u>ALPA</u>	<u>AOPA</u>	<u>APA</u>	<u>HAI</u>	<u>NBAA</u>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OTHER:
ZAU, CHICAGO APP CON, GYY ATCT, ARR ATCT, DPA ATCT, AMGR.

CHANGES - REASONS:
1. UPDATED 8260-15C CLIMB TO ALTITUDE FOR KGYG RWY 20 FROM 1100 MSL TO 1300 MSL. - TO MATCH KGYG RWY 20 DP ROUTE DESCRIPTION.



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>				
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019				
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
AURORA MUNI									
RW09 (AER)	414612.55N/0882907.31W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	089.14	-	-	-	-
-	-	-	-	VM	089.14	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82	-	-	-
RW15 (AER)	414648.10N/0882910.16W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	146.71	-	-	-	-
-	-	-	-	VM	146.71	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82	-	-	-
RW18 (AER)	414635.69N/0882817.82W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	179.95	-	-	-	-
-	-	-	-	VM	179.95	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82	-	-	-
RW27 (AER)	414613.51N/0882741.52W	N	-	-	-	-	-	-	-
1220 MSL	-	-	-	VA	269.15	-	-	-	-
-	-	-	-	VM	269.15	-	-	-	-
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-	-	-	-



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>			
CARYN		SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW33 (AER)	414602.66N/0882830.30W	N	-	-	-	-			
1220 MSL	-	-	-	VA	326.71	-			
-	-	-	-	VM	326.71	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW36 (AER)	414604.10N/0882817.78W	N	-	-	-	-			
1220 MSL	-	-	-	VA	359.95	-			
-	-	-	-	VM	359.95	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW02L (AER)	WEST CHICAGO/DUPAGE 415338.51N/0881512.77W	N	-	-	-	-			
1260 MSL	-	-	-	VA	014.01	-			
-	-	-	-	VM	014.01	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW02R (AER)	415336.07N/0881459.71W	N	-	-	-	-			
1260 MSL	-	-	-	VA	014.01	-			



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN		SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
-	-	-	-	VM	014.01	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW10 (AER)	415448.52N/0881530.55W	N	-	-	-	-			
1260 MSL	-	-	-	VA	096.02	-			
-	-	-	-	VM	096.02	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW15 (AER)	415509.20N/0881444.64W	N	-	-	-	-			
1260 MSL	-	-	-	VA	147.56	-			CG 205 FT PER NM TO 1000
-	-	-	-	VM	147.56	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW20L (AER)	415437.90N/0881439.06W	N	-	-	-	-			
1260 MSL	-	-	-	VA	194.02	-			
-	-	-	-	VM	194.02	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>				
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019				
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW20R (AER)	415451.08N/0881448.52W	N	-	-	-	-			
1260 MSL	-	-	-	VA	194.02	-			
-	-	-	-	VM	194.02	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW28 (AER)	415443.60N/0881428.07W	N	-	-	-	-			
1260 MSL	--	-	-	VA	276.03	-			
-	-	-	-	VM	276.03	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW33 (AER)*	415442.45N/0881421.88W*	N	-	-	-	-			*DISPLACED THLD (190 FT)
1260 MSL	-	-	-	VA	327.57	-			
-	-	-	-	VM	327.57	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
GARY/CHICAGO INTL									
RW02	413644.22N/0872506.30W	N	-	-	-	-			
1100 MSL	-	-	-	VA	021.18	-			CG 323 FT PER NM TO 900
-	-	-	-	VM	021.18	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>			
CARYN		SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW12 (AER)	413727.14N/0872538.36W	N	-	-	-	-			
1100 MSL	-	-	-	VA	124.15	-			
-	-	-	-	VM	124.15	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW20 (AER)	413717.41N/0872449.15W	N	-	-	-	-			
1300 MSL	-	-	-	VA	201.19	-			
-	-	-	-	VM	201.19	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW30 (AER)	413638.00N/0872401.85W	N	-	-	-	-			
1100 MSL	-	-	-	VA	304.16	-			
-	-	-	-	VM	304.16	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW02 (AER)	413557.23N/0880603.23W	N	-	-	-	-			

CHICAGO/LEWIS
 UNIVERSITY



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>		<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>			
CARYN		SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019			
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTIMITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
1180 MSL	-	-	-	VA	013.73	-			CG 420 FT PER NM TO 2700
-	-	-	-	VM	013.73	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW09 (AER)	413628.93N/0880616.00W	N	-	-	-	-			
1180 MSL	-	-	-	VA	087.73	-			CG (ATC) 260 FT PER NM TO 2700
-	-	-	-	VM	087.73	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW20 (AER)	413659.61N/0880542.92W	N	-	-	-	-			
1180 MSL	-	-	-	VA	193.73	-			
-	-	-	-	VM	193.73	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			
RW27 (AER)*	413631.08N/0880503.66W*	N	-	-	-	-			*DISPLACED THLD (196 FT)
1180 MSL	-	-	-	VA	267.74	-			
-	-	-	-	VM	267.74	-			
CMSKY	412447.00N/0875238.00W	Y	FB	DF	-	-			
CARYN	411459.00N/0875333.00W	Y	FB	TF	184.04	9.82			



FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 DEPARTURE (DATA RECORD)

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
CARYN	SIX	CARYN6.CARYN	FIVE	11/08/2018	10 OCT 2019

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
CARYN	411459.00N/0875333.00W	Y	-	IF	-	-			CARYN6.CYBIL
CYBIL	401900.00N/0875152.00W	Y	FB	TF	178.68	55.96			

