

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

NFDD 003  
MAG

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
HURTT	FOUR	HURTT4.HURTT	THREE	01/03/2019	28 FEB 2019
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

**DP ROUTE DESCRIPTION:**

**TAKEOFF RWY 22:** CLIMB HEADING 215.81 TO 1440, THEN DIRECT DECAF. THEN ON DEPICTED ROUTE TO HURTT, THEN ON HEADING 213.97, EXPECT VECTORS ON COURSE.  
MAINTAIN 4000 OR AS ASSIGNED BY ATC. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PROCEDURAL DATA NOTES:**

**NOTE:** RADAR REQUIRED

**NOTE:** DME/DME/IRU OR GPS REQUIRED

**NOTE:** RNAV 1

**TAKEOFF MINIMUMS:**

**RWY 04, 17, 35:** NA - ATC

**RWY 22,** STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1440

**TAKEOFF OBSTACLES NOTES:**

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

**CONTROLLING OBSTACLES:****LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: KLYH 8 W EPOCH YEAR: 1985

DME/DME ASSESSMENT: SAT (RNP 1.0)

CHART: TOP ALTITUDE: 4000

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
LYNCHBURG RGNL/PRESTON GLEEN FLD	LYNCHBURG	VA

**COMMUNICATIONS:**

ATIS, LYH GND CON, LYH ATCT, ROA DEP CON



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
HURTT	FOUR	HURTT4.HURTT	THREE	01/03/2019	28 FEB 2019

**FIXES AND/OR NAVAIDS:**

CHART: CAPIN, LYH VOR/DME, ROA VOR/DME

**REMARKS:**

ABBREVIATED AMENDMENT

**FLIGHT INSPECTED BY:**

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCT 13, 2018.

**OFFICE SYMBOL:***Digitally signed by***DAVID DANNER**

Dec 21, 2018

**DATE:****DEVELOPED BY:***Digitally signed by***LEO PALMER**

Dec 20, 2018

**OFFICE SYMBOL:**

AJV-A421

**DATE:**

12/20/2018

**APPROVED BY:***Digitally signed by***DAVID DANNER**

Dec 21, 2018

**OFFICE SYMBOL:**

AJV-A42

**DATE:****REQUIRED EFFECTIVE DATE:**

ROUTINE

**COORDINATED WITH:****A4A****ALPA****AOPA****APA****HAI****NBAA****OTHER:**

ROA APP CON, LYH ATCT, ARPT MGR, ZDC

**CHANGES - REASONS:**

FIX DECAF LAT/LONG CHANGED FROM 371415.45N/0791715.32W TO 371415.45N/0791511.22W. - UPDATED TO REFLECT 8260-2.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>EFFECTIVE DATE</u>
HURTT		FOUR		HURTT4.HURTT		THREE		01/03/2019	28 FEB 2019
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW 22 (AER)	371955.07N/0791147.69W	N							
1440 MSL				VA	207.81				CG 500 FT PER NM TO 1440
DECAF	371415.45N/0791511.22W	Y	FB	DF					
CAPIN	371038.91N/0791715.32W	Y	FB	TF	204.64	3.97			
HURTT	370557.34N/0791958.97W	Y	FO	TF	204.97	5.17			HURTT4.HURTT
				VM	205.97				

