

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WNSKI	TWO	WNSKI2.WNSKI	ONE	01/03/2019	20 JUN 2019

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	☐	☐	☒	☐	☐

**THIS IS A CORRECTED COPY OF THE PROCEDURE PREVIOUSLY PUBLISHED IN NFDD
065, SEE PAGE 3.**

DP ROUTE DESCRIPTION:

RWY 3L: CLIMB ON HEADING 028.27 TO 5800, THEN CLIMBING RIGHT TURN TO HEADING 210.00 TO INTERCEPT DRK VORTAC R-117 TO WNSKI, THENCE...

RWY 3R: CLIMB ON HEADING 028.28 TO 5800, THEN CLIMBING RIGHT TURN TO HEADING 210.00 TO INTERCEPT DRK VORTAC R-117 TO WNSKI, THENCE...

RWY 12: CLIMBING LEFT TURN TO INTERCEPT DRK VORTAC R-117 TO WNSKI, THENCE...

RWY 21L: CLIMB ON HEADING 208.29 TO 5800, THEN CLIMBING LEFT TURN HEADING 045.00 TO INTERCEPT DRK VORTAC R-117 TO WNSKI, THENCE...

RWY 21R: CLIMB ON HEADING 208.28 TO 5800, THEN CLIMBING LEFT TURN HEADING 045.00 TO INTERCEPT DRK VORTAC R-117 TO WNSKI, THENCE...

RWY 30: CLIMB ON HEADING 303.54 TO 5700, THEN CLIMBING RIGHT TURN TO HEADING 200.00 TO INTERCEPT DRK VORTAC R-117 TO WNSKI, THENCE...

... ON TRANSITION. FERER, JUWSO, MUMTE, TRANSITIONS MAINTAIN 10000. KACEE, KARLO, TRANSITIONS MAINTAIN 12000. EXPECT FILED ALTITUDE 5 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
KACEE	WNSKI2.KACEE	WNSKI	PHYLE	DRK 15.00 DME ARC CCW		10000		
		PHYLE	KACEE	349.00 (DRK R-349)	23.64	11000		
JUWSO	WNSKI2.JUWSO	WNSKI	DRRTY	DRK 15.00 DME ARC CCW		10000		
		DRRTY	JUWSO	061.02 (DRK R-061)	7.00	10000		
FERER	WNSKI2.FERER	WNSKI	FERER	117.39 (DRK R-117)	30.54	10000		
KARLO	WNSKI2.KARLO	WNSKI	ZADER	DRK 15.00 DME ARC CW		10000		
		ZADER	KARLO	168.00 (DRK R-168)	9.66	12000		
MUMTE	WNSKI2.MUMTE	WNSKI	TURN	DRK 15.00 DME ARC CW		10000		
		TURN	MUMTE	258.78 (DRK R-259)	13.93	10000		

PROCEDURAL DATA NOTES:

CHART NOTE: RADAR AND DME REQUIRED.

TAKEOFF MINIMUMS:

RWY 3L: STANDARD WITH MINIMUM CLIMB 330 FT PER NM TO 6800.

RWY 3R: STANDARD WITH MINIMUM CLIMB 340 FT PER NM TO 6800.

RWY 12: STANDARD WITH MINIMUM CLIMB 500 FT PER NM TO 7100.

RWY 21L: STANDARD WITH MINIMUM CLIMB 335 FT PER NM TO 7000.

RWY 21R: STANDARD WITH MINIMUM CLIMB 335 FT PER NM TO 7100.

RWY 30: STANDARD WITH MINIMUM CLIMB 400 FT PER NM TO 6900.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WNSKI	TWO	WNSKI2.WNSKI	ONE	01/03/2019	20 JUN 2019

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

RWY 3L, 3R, 12, 21L, 21R, 30: 7880 FEET MSL AAO 342747.47N/1122413.55W

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: KPRC 13E EPOCH YR: 1995

CHART V12 (TURN TO MUMTE), V105 (ZADER TO KARLO), V257 (PHYLE TO KACEE), V562 (WNSKI TO FERER), V12-264 (DRRTY TO JUWSO).

CHART: TOP ALTITUDE: KACEE, KARLO TRANSITIONS: 12000; FERER, JUWSO, MUMTE TRANSITIONS: 10000.

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
PRESCOTT RGNL - ERNEST A. LOVE FLD	PRESCOTT	AZ

COMMUNICATIONS:

ATIS, CLNC DEL, GND CON, PRC ATCT, PRC DEP/CON.

FIXES AND/OR NAVAIDS:**REMARKS:**

CLIMB TO ALTITUDES USED FOR ALL RWYS EXCEPT RWY 12 (DUE TO PROXIMITY TO WNSKI FIX) TO ALLOW AIRCRAFT TO ATTAIN ADDITIONAL ALTITUDE BEFORE ROUTING TO WNSKI TO LOWER CLIMB GRADIENTS.

40:1 OBSTACLE CLEARANCE SLOPE USED INTO THE ENROUTE TRANSITIONS UNTIL FULL MOUNTAINOUS ROC ATTAINED TO LOWER CLIMB GRADIENTS - MOCA'S NOT PUBLISHED.

7880 MSL AAO CONTROLLING OBSTACLE LOCATED IN 15 DME ARC USED TO DETERMINE CLIMB GRADIENTS/TERMINATION ALTITUDES/40:1 SURFACES FOR RWYS AND TRANSITIONS.

FLIGHT INSPECTED BY:PROCESSED IAW ACFT OPS GRP (AJW-33) MEMO, 10/3/18,
SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.*Digitally signed by***ALLAN WILL**

Apr 23, 2019

OFFICE SYMBOL:**DATE:****DEVELOPED BY:**

PHILLIP BRANDENBURG

*Digitally signed by***PHILLIP BRANDENBURG**

Apr 22, 2019

OFFICE SYMBOL:**DATE:**

AJV-A423

02/08/2019

APPROVED BY:

JULIE MORGAN

*Digitally signed by***ALLAN WILL**

Apr 23, 2019

OFFICE SYMBOL:**DATE:**

AJV-A42

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME						NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
WNSKI						TWO	WNSKI2.WNSKI	ONE	01/03/2019	20 JUN 2019
A4A	ALPA	AOPA	APA	HAI	NBAA					
☒	☒	☒	☒	☐	☒					

OTHER:

ZAB, AMGR, PRC ATCT, PHX APP/CON

CHANGES - REASONS:

1. CHANGED APT NAME FROM ERNEST A. LOVE FIELD TO PRESCOTT RGNL ARPT - ERNEST A. LOVE FIELD - PER FPT/APT REQUEST.

4/19/19. THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 2/25/19.

CORRECTED APT NAME FROM PRESCOTT RGNL ARPT - ERNEST A. LOVE FIELD TO PRESCOTT RGNL - ERNEST A. LOVE FLD.

QUALITY
35
CHECKED