

**FEDERAL AVIATION ADMINISTRATION
 FLIGHT STANDARDS SERVICE
 RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> FAIRVIEW MUNI	<u>AIRPORT ID</u> 6K4	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 35	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> FAIRVIEW	<u>STATE</u> OK
<u>AIRPORT ELEVATION</u> 1274	<u>TDZE</u> 1274	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 4E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 5 DECEMBER 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 2020

TAA

FROM	FIX TYPE	TO	FIX TYPE	ALTITUDE
1. 267/30 CW 087/30	NOPT	ZABIB	IF/IAF	3600
2. 087/30 CW 267/30		ZABIB	IAF	3600

TERMINAL ROUTES

FROM	FIX TYPE	TO	FIX TYPE	LEG TYPE	FO/FB	RNP	COURSE	DISTANCE	ALTITUDE
ZABIB	IF/IAF	HEKIX	FAF	TF	FB	1.00	357.00	5.05	3200
HEKIX	FAF	YEXFU/2.28 NM TO RW35		TF	FB	0.30	356.99	3.64	
YEXFU/2.28 NM TO RW35		RW35	MAP	TF	FO	0.30	356.99	2.28	
RW35	MAP	1674 MSL		CA			356.99		
1674 MSL		GETLE		DF	FO	1.00			3600

MISSED APPROACH

MAP:

LP: RW35
 LNAV: RW35

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3600 DIRECT GETLE AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

- 1. PT **SIDE OF COURSE** **OUTBOUND** **FT WITHIN** **MILES OF (IAF)**
- 2. HOLD S ZABIB, LT, 357.00 INBOUND, 3600 FT. IN LIEU OF PT (IAF), MAX 8000.
- 3. **FAC:** 356.99 **FAF:** HEKIX **DIST FAF TO MAP:** 5.93 **DIST FAF TO THLD:** 5.93
- 4. **MIN ALT:** ZABIB 3600, HEKIX 3200, YEXFU/2.28 NM TO RW35 2040
- 5. **DIST TO THLD FROM OM:** **MM:** **IM:** **150 HAT:** **GS ANT:**
- 6. **MIN GP INCPT:** **GP ALT AT FAF :** **OM:** **MM:** **IM:**
- 7. **GP ANGLE:** **34:1:** IS NOT CLEAR **20:1:** IS NOT CLEAR **TCH:**
- 8. **MSA FROM:**

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: PROCEDURE NA AT NIGHT.
 CHART NOTE: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
 CHART NOTE: BARO-VNAV NA.
 CHART NOTE: USE VANCE AFB ALTIMETER SETTING; WHEN NOT RECEIVED, USE WATONGA ALTIMETER SETTING; INCREASE ALL MDA 40 FEET, AND INCREASE LP AND LNAV VISIBILITY CATS C/D 1/8 SM.

ADDITIONAL FLIGHT DATA:

CHART END ATIS 115.4
 CHART CIRCLING ICON
 CHART 1442 POLE 361451N/0982810W
 HEKIX TO RW35: 3.00/40.
 WAAS CHANNEL #82443
 REFERENCE PATH ID: W35A
 CHART FAS OBST: 1475 ELEVATOR 361545N/0982851W, 1609 ANTENNA 361450N/0982810W.
 HOLD N, RT, 177.00 INBOUND
 LTP HAE: 360.3 M

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA

CATEGORY:	A			B			C			D			E		
	FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS
LP MDA	1800	1	526	1800	1	526	1800	1 1/2	526	1800	1 1/2	526			
LNAV MDA	1940	1	666	1940	1	666	1940	1 7/8	666	1940	1 7/8	666			
CIRCLING	1940	1	666	2020	1	746	2020	2 1/4	746	2180	3	906			

CHANGES - REASONS



COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZKC, ZFW, END APP CON, ST. AV. DIR., AMGR

Digitally signed by

DONALD H LANIER

Oct 23, 2019

FLIGHT CHECKED BY

GARY BELL

OFFICE

FICO

DATE

DEVELOPED BY

MICHAEL CURRAN

Digitally signed by

MICHAEL R CURRAN

Aug 19, 2019

OFFICE

AJV-A431

DATE

07/18/2019

APPROVED BY

GEORGE DAVIS

Digitally signed by

DONALD H LANIER

Oct 23, 2019

OFFICE

AJV-A430

DATE

TITLE
MANAGER

10/23/2019: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 10/21/2019.
CHANGED ALL REFERENCES FROM PFAF TO FAF.



FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	6K4
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
LTP/FTP LATITUDE	361706.5735N
LTP/FTP LONGITUDE	0982833.4155W
LTP/FTP ELLIPSOIDAL HEIGHT	+03603
FPAP LATITUDE	361835.7845N
FPAP LONGITUDE	0982831.5010W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1408
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
CRC REMAINDER	7F1DEB7F

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+03879
FPAP ORTHOMETRIC HEIGHT	+03879

