Federal Aviation Administration

Transmittal Letter 19-16

June 14, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/18/2019	AL	Centreville	Bibb County	9/5065	6/4/2019	RNAV (GPS) RWY 10, Orig

AIRAC Date: 18 July 2019

FDC 9/5065 0A8 IAP BIBB COUNTY, Centreville, AL. RNAV (GPS) RWY 10, ORIG... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: RWY 10 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT OKW VORTAC ON V209 NORTHEAST BOUND. DELETE PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT OKW VORTAC VIA V209 NORTHEAST BOUND. CHART NOTE: USE TUSCALOOSA ALTIMETER SETTING; WHEN NOT RECEIVED, USE ALABASTER ALTIMETER SETTING AND INCREASE ALL MDAS 20 FEET. DELETE NOTE: USE TUSCALOOSA ALTIMETER SETTING; WHEN NOT RECEIVED, USE ALABASTER ALTIMETER SETTING WHEN NOT RECEIVED, USE ALABASTER ALTIMETER SETTING AND INCREASE ALL MDAS 20 FEET AND CIRCLING VISIBILITY CAT. C 1/4 MILE. THIS IS RNAV (GPS) RWY 10, ORIG-A. 1905291226-PERM