Federal Aviation Administration

Transmittal Letter 19-16

June 14, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC FDC FDC **STATE CITY** SUBJECT **AIRPORT** DATE **NUMBER** DATE RNAV (GPS) RWY 4, 7/18/2019 MI Bad Axe Huron County Memorial 9/0738 6/7/2019 Orig-A

AIRAC Date: 18 July 2019

FDC 9/0738 BAX IAP HURON COUNTY MEMORIAL, Bad Axe, MI. RNAV (GPS) RWY 4, ORIG-A... CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MBS INTL ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET INCREASE LNAV CAT C VISIBILITY 1/2 MILE. PBN REQUIREMENTS NOTE: RNP APCH. DELETE CIRCLING MINIMUMS. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MBS INTL ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET INCREASE LNAV CAT C AND CIRCLING CAT C VISIBILITY 1/2 MILE. DELETE NOTE: NIGHT LANDING: RWY 4 NA CAT C. THIS IS RNAV (GPS) RWY 4, ORIG-B. 1906061932-PERM