

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW18 CLIMB TO 2000 DIRECT CASRU AND VIA 107.30 TRACK TO MOGAN AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NW, RT, 125.85 INBOUND. FAS OBST: 264 AAO 305920N/0921338W BENZ TO RW18: 3.04/40.
MAXON	AGIZU (FB)	009.49 / 45.34	1700	
FISTY	AUGHT (FB)	288.21 / 28.24	1700	
AGIZU (IAF)	JEBTA (NOPT) (FB)	088.83 / 5.00	1700	
AUGHT (IAF)	JEBTA (NOPT) (FB)	268.93 / 5.00	1700	
JEBTA (IF/IAF)	BENZZ (FB)	178.88 / 6.04	1700	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD N JEBTA, RT, 178.88 INBOUND, 1700 FT. IN LIEU OF PT (IAF)
- FAC: 178.88 FAF: BENZZ DIST FAF TO MAP: 4.96 THLD: 4.96
- MIN. ALT: JEBTA 1700, BENZZ 1700
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW18 2800

MAG VAR: 1E

EPOCH YEAR: 2010

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: NA	X											
CATEGORY ==>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	600	1	540	600	1	540		NA			NA					
CIRCLING	600	1	538	600	1	538		NA			NA					

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MAXON VIA V222 SOUTHWEST BOUND.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT FISTY VIA V566 EAST BOUND.
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.
 SEE 8260-10

CITY AND STATE BUNKIE, LA	ELEVATION: 62 TDZE: 60 AIRPORT NAME: BUNKIE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, ORIG 07 MAY 2009	SUP:
				AMDT: NONE
				DATED

QUALITY
2
CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: USE ALEXANDRIA INTL ALTIMETER SETTING; WHEN NOT RECEIVED, USE ESRLR REGIONAL ALTIMETER SETTING.

CITY AND STATE

BUNKIE, LA

ELEVATION: 62 TDZE: 60

AIRPORT NAME:

BUNKIE MUNI

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 18, ORIG

07 MAY 2009

SUP:

AMDT: NONE

DATED:

QUALITY
2
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 2R6 K4FR18	AFISTY 010FISTYK4EA0E	IF							18000			B JS	
SUSAP 2R6 K4FR18	AFISTY 020AUGHTK4EA0E	A 020TF				28820282		+ 01700				B JS	
SUSAP 2R6 K4FR18	AFISTY 030JEBTAK4EA0EE	010TF				26890050		+ 01700				B JS	
SUSAP 2R6 K4FR18	AJEBTA 010JEBTAK4EA0EE	CR HF				17890040		+ 01700		18000		B JS	
SUSAP 2R6 K4FR18	AMAXON 010MAXONK4EA0E	IF								18000		B JS	
SUSAP 2R6 K4FR18	AMAXON 020AGIZUK4EA0E	A 020TF				00950453		+ 01700				B JS	
SUSAP 2R6 K4FR18	AMAXON 030JEBTAK4EA0EE	010TF				08880050		+ 01700				B JS	
SUSAP 2R6 K4FR18	R	010JEBTAK4EA0E	I	IF				+ 01700		18000		B JS	
SUSAP 2R6 K4FR18	R	020BENZK4EA1E	F	051TF		17890060		+ 01700			RW18	K4PGB JS	
SUSAP 2R6 K4FR18	R	020BENZK4EA2WN			N	ALNAV						JS	
SUSAP 2R6 K4FR18	R	030RW18	K4PGOGY	M	031TF	17890050			00099		-304	B JS	
SUSAP 2R6 K4FR18	R	040CASRUK4EA0E	M	010DF								B JS	
SUSAP 2R6 K4FR18	R	050MOGANK4EA0EY		010TF		1073		+ 02000				B JS	
SUSAP 2R6 K4FR18	R	060MOGANK4EA0EE	HR020HM			12590040		+ 02000				B JS	

[illegible]

CITY AND STATE BUNKIE, LA	ELEVATION: 62 TDZE: 60 AIRPORT NAME: BUNKIE MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, ORIG 07 MAY 2009	SUP: AMDT: NONE DATED:
------------------------------	--	------------------------------	--	------------------------------

QUALITY
2
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3	
MSA	1	2	3	4	5	6	7	8	9	0	1	2	3	

SUSAP 2R6 K4SRW18 K4PG	0					18018002825					M			

CITY AND STATE
BUNKIE, LA

ELEVATION: 62 TDZE: 60
AIRPORT NAME:
BUNKIE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 18, ORIG
07 MAY 2009

SUP:
AMDT: NONE
DATED:

QUALITY
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	FISTY	FISTY	010		IF		FB				
	FISTY	AUGHT	020	IAP	TF		FB	2.0	288.2 (289T)	028.2	01700
	FISTY	JEBTA	030		TF		FB	1.0	268.9 (270T)	005.0	01700
	JEBTA	JEBTA	010		HF	R	FB		178.9 (180T)	004.0	01700
	MAXON	MAXON	010		IF		FB				
	MAXON	AGIZU	020	IAP	TF		FB	2.0	009.5 (011T)	045.3	01700
	MAXON	JEBTA	030		TF		FB	1.0	088.8 (090T)	005.0	01700
		JEBTA	010	FACF	IF		FB				01700
		BENZZ	020	PAF	TF		FB	0.5	178.9 (180T)	006.0	01700
		RW18	030	MAP	TF		FO	0.3	178.9 (180T)	005.0	00099

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	CASRU	040		DF		FB	1.0			
	MOGAN	050		TF		FO	1.0	107.3 (108T)		02000
	MOGAN	060		HM	R	FO	2.0	125.9 (127T)	004.0	02000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AGIZU	N310839.86	W0921953.94	N3108.664	W09219.899
	AUGHT	N310841.12	W0920814.78	N3108.685	W09208.246
	BENZZ	N310237.36	W0921403.48	N3102.623	W09214.058
	CASRU	N305338.60	W0921402.17	N3053.643	W09214.036
	FISTY	N305926.18	W0913710.29	N3059.436	W09137.172
	JEBTA	N310840.62	W0921404.36	N3108.677	W09214.073
	MAXON	N302359.40	W0922931.27	N3023.990	W09229.521
	MOGAN	N304405.42	W0914050.31	N3044.090	W09140.839
	RW18	N305739.14	W0921402.75	N3057.652	W09214.046

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW18	00059		40

CITY AND STATE
BUNKIE, LA

ELEVATION: 62 TDZE: 60
 AIRPORT NAME:
BUNKIE MUNI

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 18, ORIG
07 MAY 2009

SUP:
 AMDT: **NONE**
 DATED:

QUALITY
 2
 CHECKED