

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
DUBOW	OVNAE (FB)	150.08 / 20.60	2000	LNAV: RW27
LUCEN	WOVEL (FB)	357.00 / 21.82	2100	
BEKEN	WOVEL (FB)	026.41 / 24.54	3100	CLIMB TO 2000 DIRECT HITIB AND HOLD.
OVNAE (IAF)	JIMIB (NOPT) (FB)	177.75 / 5.00	2000	
WOVEL (IAF)	JIMIB (NOPT) (FB)	357.75 / 5.63	2000	
JIMIB (IF/IAF)	WEGEV (FB)	267.75 / 6.04	1900	ADDITIONAL FLIGHT DATA: HOLD W, RT, 087.50 INBOUND. FAS OBST: 539 AAO 325053N/0935715W WEGEV TO RW27: 3.04/40.

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD E JIMIB, RT, 267.75 INBOUND, 2000 FT. IN LIEU OF PT (IAF)
- FAC: 267.68 FAF: WEGEV DIST FAF TO MAP: 4.96 THLD: 4.96
- MIN. ALT: JIMIB 2000, WEGEV 1900
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW27 3100

MAG VAR: 2E EPOCH YEAR: 2010

MINIMUMS

TAKEOFF:	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N	<input type="checkbox"/> A	<input checked="" type="checkbox"/> X										
CATEGORY =====>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	860	1	600	860	1	600	860	1 1/2	600		NA					
CIRCLING	860	1	600	860	1	600	880	1 3/4	620		NA					

NOTES:
 CHART NOTE: CIRCLING NA NORTH OF RWY 9/27.
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: WHEN SHREVEPORT REGIONAL ALTIMETER SETTING NOT RECEIVED, USE SHREVEPORT DOWNTOWN ALTIMETER SETTING.

CITY AND STATE VIVIAN, LA	ELEVATION: 260 TDZE: 260 AIRPORT NAME: VIVIAN	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 12 MAR 2009	SUP: AMDT: NONE DATED
-------------------------------------	--	-------------------------------------	--	------------------------------------



U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	BEKEN	BEKEN	010		IF		FB				
	BEKEN	WOVEL	020	IAF	TF		FB	2.0	026.4 (028T)	024.5	03100
	BEKEN	JIMIB	030		TF		FB	1.0	357.8 (360T)	005.6	02000
	DUBOW	DUBOW	010		IF		FB				
	DUBOW	OVNAE	020	IAF	TF		FB	2.0	150.1 (152T)	020.6	02000
	DUBOW	JIMIB	030		TF		FB	1.0	177.8 (180T)	005.0	02000
	JIMIB	JIMIB	010		HF	R	FB		267.8 (270T)	004.0	02000
	LUCEN	LUCEN	010		IF		FB				
	LUCEN	WOVEL	020	IAF	TF		FB	2.0	357.0 (359T)	021.8	02100
	LUCEN	JIMIB	030		TF		FB	1.0	357.8 (360T)	005.6	02000
		JIMIB	010	FACF	IF		FB				02000
		WEGEV	020	FAF	TF		FB	0.5	267.8 (270T)	006.0	01900
		RW27	030	MAP	TF		FO	0.3	267.7 (270T)	005.0	00299

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	HITIB	040		DF		FO	1.0			02000
	HITIB	050		HM	R	FO	2.0	087.5 (090T)	004.0	02000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BEKEN	N322428.66	W0940104.60	N3224.478	W09401.077
	DUBOW	N331500.06	W0935844.84	N3315.001	W09358.747
	HITIB	N325135.63	W0941357.64	N3251.594	W09413.961
	JIMIB	N325144.48	W0934715.43	N3251.741	W09347.257
	LUCEN	N322413.96	W0934646.70	N3224.233	W09346.778
	OVNAE	N325645.06	W0934716.99	N3256.751	W09347.283
	WEGEV	N325142.68	W0935425.73	N3251.711	W09354.429
	WOVEL	N324605.75	W0934713.68	N3246.096	W09347.228
	RW27	N325140.89	W0940018.97	N3251.682	W09400.316

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW27	00259		40

CITY AND STATE
VIVIAN, LA

ELEVATION: 260 TDZE: 260
 AIRPORT NAME:
VIVIAN

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 27, ORIG
12 MAR 2009

SUP:
 AMDT: **NONE**
 DATED:

