

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
GNSHP	ZIRAS (FO)	257.95 / 18.89	2500	LNAV: RW08 CLIMB TO 3000 DIRECT UYURI AND LEFT TURN VIA 337.86 TRACK TO WASMO AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 186.65 INBOUND. CHART FAS OBST: 920 ANT ON GR EL 365132N/0872953W CHART R-3702 A/B; R-3701 RELSE TO RW 08: 3.05/40
LANKY (IAF)	ZIRAS (NOPT) (FB)	052.32 / 31.33	2500	
YANUS (IAF)	ZIRAS (NOPT) (FB)	164.57 / 26.84	2500	
ZIRAS (IF/IAF)	RELSE (FB)	078.64 / 6.02	2500	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD W ZIRAS, LT, 078.64 INBOUND, 2500 FT. IN LIEU OF PT (IAF)
- FAC: 078.72 FAF: RELSE DIST FAF TO MAP: 5.94 THLD: 5.94
- MIN. ALT: ZIRAS 2500, RELSE 2500
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM: RW08 2700

MAG VAR: 1W

EPOCH YEAR: 1995

MINIMUMS

TAKEOFF: <u> </u>	STANDARD ☒	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A ☒												
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1220	1	680	1220	1	680	1220	2	680	1220	2 1/4	680			
CIRCLING	1220	1	656	1220	1	656	1280	2	716	1280	2 1/4	716			

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CLARKSVILLE ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE.

CITY AND STATE	ELEVATION: 564 TDZE: 540	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, ORIG 20 NOV 2008	SUP:
HOPKINSVILLE, KY	AIRPORT NAME: HOPKINSVILLE-CHRISTIAN COUNTY			AMDT: NONE
				DATED

QUALITY
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KHVCK5FR08	AGNSHP	010GNSHPK5EA0E	IF						18000		B JS	
SUSAP	KHVCK5FR08	AGNSHP	020ZIRASK5EA0E	020TF			25800189	+	02500			B JS	
SUSAP	KHVCK5FR08	AGNSHP	030ZIRASK5EA0EB	CL HF			07860040	+	02500			B JS	
SUSAP	KHVCK5FR08	ALANKY	010LANKYK7EA0E	A IF						18000		B JS	
SUSAP	KHVCK5FR08	ALANKY	020ZIRASK5EA0EE	010TF			05230313	+	02500			B JS	
SUSAP	KHVCK5FR08	AYANUS	010YANUSK5EA0E	A IF						18000		B JS	
SUSAP	KHVCK5FR08	AYANUS	020ZIRASK5EA0EE	010TF			16460268	+	02500			B JS	
SUSAP	KHVCK5FR08	R	010ZIRASK5EA0E	I IF				+	02500	18000		B JS	
SUSAP	KHVCK5FR08	R	020RELSEK5EA1E	F 051TF			07860060	+	02500		RW08	K5PGB JS	
SUSAP	KHVCK5FR08	R	020RELSEK5EA2WN		N	ALNAV						JS	
SUSAP	KHVCK5FR08	R	030RW08	K5PG0GY M 031TF			07870059		00577	-305		B JS	
SUSAP	KHVCK5FR08	R	040UYURIK5EA0E	M 010DF								B JS	
SUSAP	KHVCK5FR08	R	050WASMOK5EA0EY	L010TFY			3379	+	03000			B JS	
SUSAP	KHVCK5FR08	R	060WASMOK5EA0EE	HP020HM			18670040	+	03000			B JS	

[illegible]

CITY AND STATE
HOPKINSVILLE, KY

ELEVATION: 564 TDZE: 540
AIRPORT NAME:
HOPKINSVILLE-CHRISTIAN COUNTY

FACILITY
IDENTIFIER:
BNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 8, ORIG
20 NOV 2008

SUP:	
AMDT:	NONE
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	1	2	3	4	5	6	7	8	9	0	1	2	3

SUSAP KHVCK5SRW08 K5PG	0 18018002725										M		

CITY AND STATE
HOPKINSVILLE, KY

ELEVATION: 564 TDZE: 540
AIRPORT NAME:
HOPKINSVILLE-CHRISTIAN COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 8, ORIG
20 NOV 2008

SUP:
AMDT: NONE
DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-19

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	GNSHP	GNSHP	010		IF		FB				
	GNSHP	ZIRAS	020		TF		FB	2.0	258.0(257T)	018.9	02500
	GNSHP	ZIRAS	030		HF	L	FO		078.6(078T)	004.0	02500
	LANKY	LANKY	010	IAF	IF		FB				
	LANKY	ZIRAS	020		TF		FB	1.0	052.3(051T)	031.3	02500
	YANUS	YANUS	010	IAF	IF		FB				
	YANUS	ZIRAS	020		TF		FB	1.0	164.6(164T)	026.8	02500
		ZIRAS	010	FACF	IF		FB				02500
		RELSE	020	FAF	TF		FB	0.5	078.6(078T)	006.0	02500
		RW08	030	MAP	TF		FO	0.3	078.7(078T)	005.9	00577

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	UYURI	040		DF		FB	1.0			
	WASMO	050		TF	L	FO	1.0	337.9(337T)		03000
	WASMO	060		HM	R	FO	2.0	186.7(186T)	004.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	GNSHP	N365304.93	W0871929.97	N3653.082	W08719.500
	LANKY	N362913.77	W0881252.34	N3629.230	W08812.872
	RELSE	N365003.64	W0873505.34	N3650.061	W08735.089
	UYURI	N365401.80	W0871210.69	N3654.030	W08712.178
	WASMO	N370500.60	W0871802.19	N3705.010	W08718.037
	YANUS	N371433.31	W0875151.89	N3714.555	W08751.865
	ZIRAS	N364846.49	W0874224.77	N3648.775	W08742.413
	RW08	N365119.35	W0872751.32	N3651.323	W08727.856

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW08	00537	40

CITY AND STATE
HOPKINSVILLE, KY

ELEVATION: 564 TDZE: 540
 AIRPORT NAME:
HOPKINSVILLE-CHRISTIAN COUNTY

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 8, ORIG
20 NOV 2008

SUP:
 AMDT: **NONE**
 DATED: