Federal Aviation Administration

Transmittal Letter 19-16

June 14, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/18/2019	IN	Bloomington	Monroe County	9/5231	5/30/2019	RNAV (GPS) RWY 24, Orig-B

AIRAC Date: 18 July 2019

FDC 9/5231 BMG IAP MONROE COUNTY, Bloomington, IN. RNAV (GPS) RWY 24, ORIG-B... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TERRE HAUTE RGNL ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET; INCREASE LNAV CAT C/D VISIBILITY 1/4 MILE. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TERRE HAUTE RGNL ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET; INCREASE LNAV CAT C/D VISIBILITY 1/4 MILE. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE TERRE HAUTE RGNL ALTIMETER SETTING AND INCREASE ALL MDA 140 FEET; INCREASE LNAV CAT C/D AND CIRCLING CAT D VISIBILITY 1/4 MILE, INCREASE CIRCLING CAT C VISIBILITY 1/2 MILE. CHART NOTE: PROCEDURE NA AT NIGHT. DELETE NOTE: RWY 24 STRAIGHT-IN AND CIRCLING AND CIRCLING TO RWY 6 NA AT NIGHT. THIS IS RNAV (GPS) RWY 24, ORIG-C. 1905291445-PERM