

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
UTASY (IF/IAF)	TEZLU (FB)	354.16 / 5.00	1800	LPV: DA LNAV/VNAV: DA LNAV: RW35 CLIMB TO 2000 DIRECT ARUKY AND HOLD.
TEZLU (FAF)	ZIGEL/2.50 NM TO RW35 (FB)	354.16 / 2.72		
ZIGEL/2.50 NM TO RW35	RW35 (MAP) (FO)	354.16 / 2.50		ADDITIONAL FLIGHT DATA: HOLD N, RT, 174.14 INBOUND. CHART FAS OBST: 202 TREE 325147N/0902814W CHART FAS OBST: 230 TREE 325250N/0902718W DISTANCE TO THLD FROM 356 HATH: 1.00 NM. WAAS CHANNEL # 99431 REFERENCE PATH ID: W35A LTP HAE: 4.9 M
RW35 (MAP)	460 MSL	354.16		
460 MSL	ARUKY (FO)		2000	

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. HOLD S UTASY, RT, 354.16 INBOUND, 2000 FT. IN LIEU OF PT (IAF)
3. FAC: 354.16 FAF: TEZLU DIST FAF TO MAP: 5.22 THLD: 5.22
4. MIN. ALT: UTASY 2000, TEZLU 1800, ZIGEL/2.50 NM TO RW35 920*
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCP: 1800 GS ALT AT: TEZLU 1800 OM: MM: IM:
7. GS ANGLE: 3.00 TCH: 35.0 34:1 IS CLEAR
8. MSA FROM:

MAG VAR: 0E EPOCH YEAR: 2010

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N		X			
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	460	1 1/4	356	460	1 1/4	356	460	1 1/4	356	460	1 1/4	356			
LNAV/VNAV DA	605	1 3/4	501	605	1 3/4	501	605	1 3/4	501	605	1 3/4	501			
LNAV MDA	600	1	496	600	1	496	600	1 3/8	496	600	1 3/8	496			
CIRCLING	640	1	535	640	1	535	640	1 1/2	535	660	2	555			

NOTES:
 CHART NOTE: BARO-VNAV NA.
 CHART NOTE: USE MADISON ALTIMETER SETTING; WHEN NOT RECEIVED, USE JACKSON ALTIMETER SETTING AND INCREASE ALL DA 8 FT AND ALL MDA 20 FT.
 CHART NOTE: DME/DME RNP-0.3 NA.
 *LNAV ONLY



CITY AND STATE YAZOO CITY, MS	ELEVATION: 105 THRE: 104 AIRPORT NAME: YAZOO COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 10 JANUARY 2013	SUP: AMDT: NONE DATED
----------------------------------	--	------------------------------	--	-----------------------------

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	264/30 CW 084/30 (NOPT) 264/5 CW 084/5	264/5 CW 084/5 UTASY (IF/IAF) (FB)	3500 2000
2.	084/30 CW 264/30	UTASY (IF/IAF) (FO)	2400



CITY AND STATE YAZOO CITY, MS	ELEVATION: 105 THRE: 104 AIRPORT NAME: YAZOO COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 10 JANUARY 2013	SUP:
				AMDT: NONE
				DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	871
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
LTP/FTP LATITUDE	325235.9410N
LTP/FTP LONGITUDE	0902747.3675W
LTP/FTP ELLIPSOIDAL HEIGHT	+00049
FPAP LATITUDE	325404.7505N
FPAP LONGITUDE	0902758.1550W
THRESHOLD CROSSING HEIGHT (TCH)	00035.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1232
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER A50FE768

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00318
FPAP ORTHOMETRIC HEIGHT	+00318



CITY AND STATE YAZOO CITY, MS	ELEVATION: 105 THRE: 104	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG 10 JANUARY 2013	SUP:
	AIRPORT NAME: YAZOO COUNTY			AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.


ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	UTASY	UTASY	010	IAF	HF	R	FO		354.2 (354.2T)	004.0	AA 02000	
		UTASY	010	FACF	IF		FB				AA 02000	
		TEZLU	020	PAF	TF		FB	0.5	354.2 (354.2T)	005.0	AA 01800	
		ZIGEL	021	SDF	TF		FB	0.3	354.2 (354.2T)	002.7	AA 00920	GS 00935
		RW35	030	MAP	TF		FO	0.3	354.2 (354.2T)	002.5	AT 00139	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		354.2 (354.2T)		AA 00460	
	ARUKY	050		DF		FO				AA 02000	
	ARUKY	060		HM	R	FO		174.1 (174.1T)	004.0	AA 02000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ARUKY	N330258.50	W0902903.10	N3302.975	W09029.052
	TEZLU	N324724.04	W0902709.53	N3247.401	W09027.159
	UTASY	N324225.01	W0902633.32	N3242.417	W09026.555
	ZIGEL	N325006.43	W0902729.22	N3250.107	W09027.487
	RW35	N325235.94	W0902747.37	N3252.599	W09027.790

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW35	00104	35



CITY AND STATE YAZOO CITY, MS	ELEVATION: 105 THRE: 104	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: YAZOO COUNTY		RNAV (GPS) RWY 35, ORIG	AMDT: NONE
			10 JANUARY 2013	DATED: