

FAA FORM 8260 - 3 / April 2006 (computer generated) PAGE 1 OF 5 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

*LNAV ONLY

TAA

	FROM	TO	ALT
1.	066/30 CW 246/30 (NOPT)	BOKKE (IF/IAF) (FB)	2600
2.	246/30 CW 066/30	BOKKE (IF/IAF) (FO)	2600

QUALITY
1
CHECKED

CITY AND STATE

LA GRANGE, TX

ELEVATION: 324

THRE: 308

AIRPORT NAME:

FAYETTE RGNL AIR CENTER

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 16, AMDT 2

26 JULY 2012

SUP:

AMDT: 1A

DATED: 07/29/2010

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	3T5
RUNWAY	RW16
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W16A
LTP/FTP LATITUDE	295452.3400N
LTP/FTP LONGITUDE	0965708.6000W
LTP/FTP ELLIPSOIDAL HEIGHT	+00670
FPAP LATITUDE	295327.1700N
FPAP LONGITUDE	0965637.7300W
THRESHOLD CROSSING HEIGHT (TCH)	00042.1
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

98E7E7E8

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00938
FPAP ORTHOMETRIC HEIGHT	+00938

QUALITY
1
CHECKED

CITY AND STATE LA GRANGE, TX	ELEVATION: 324 THRE: 308	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 16, AMDT 2 26 JULY 2012	SUP:
	AIRPORT NAME: FAYETTE RGNL AIR CENTER			AMDT: 1A
				DATED: 07/29/2010

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 3T5 K4FR16	ABOKKE	010BOKKEK4EA0EE	AR	HF			15640040		+ 02600	18000			A JS
SUSAP 3T5 K4FR16	R	010BOKKEK4EA0E	I	IF					+ 02600	18000			A JS
SUSAP 3T5 K4FR16	R	020OKFELK4EA1E	F	051TF			15640068		+ 02000				A JS
SUSAP 3T5 K4FR16	R	020OKFELK4EA2WALPV			N	ALNAV							JS
SUSAP 3T5 K4FR16	R	021VICUCK4EA0E	S	031TF			15650027		V 0114001146		-300		A JS
SUSAP 3T5 K4FR16	R	030RW16 K4PGOGY	M	031TF			15650025		00350		-300		A JS
SUSAP 3T5 K4FR16	R	040	O	M	CA		1565		+ 00553				A JS
SUSAP 3T5 K4FR16	R	050JIHRUK4EA0EY		DF					+ 02600				A JS
SUSAP 3T5 K4FR16	R	060JIHRUK4EA0EE	R	HM			33650040		+ 02600				A JS

[illegible][illegible]

CITY AND STATE LA GRANGE, TX	ELEVATION: 324 THRE: 308 AIRPORT NAME: FAYETTE RGNL AIR CENTER	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
			RNAV (GPS) RWY 16, AMDT 2	AMDT: 1A
			26 JULY 2012	DATED: 07/29/2010

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BOKKE	BOKKE	010	IAF	HF	R	FO		156.4 (162.4T)	004.0	AA 02600	
		BOKKE	010	FACF	IF		FB				AA 02600	
		OKFEL	020	FAF	TF		FB	0.5	156.4 (162.4T)	006.8	AA 02000	
		VICUC	021	SDF	TF		FB	0.3	156.5 (162.5T)	002.7	AA 01140	GS 01146
		RW16	030	MAP	TF		FO	0.3	156.5 (162.5T)	002.5	AT 00350	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		156.5 (162.5T)		AA 00558	
	JIHRU	050		DF		FO				AA 02600	
	JIHRU	060		HM	R	FO		336.5 (342.5T)	004.0	AA 02600	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BOKKE	N300620.49	W0970118.62	N3006.342	W09701.310
	JIHRU	N294236.83	W0965242.45	N2942.614	W09652.708
	OKFEL	N295949.52	W0965856.45	N2959.825	W09658.941
	VICUC	N295715.72	W0965800.61	N2957.262	W09658.010
	RW16	N295452.34	W0965708.60	N2954.872	W09657.143

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW16	00308	42

CITY AND STATE
LA GRANGE, TX

ELEVATION: 324 THRE: 308
 AIRPORT NAME:
 FAYETTE RGNL AIR CENTER

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
 RNAV (GPS) RWY 16, AMDT 2
 26 JULY 2012

SUP:
 AMDT: 1A
 DATED: 07/29/2010