`U.S. Department of Transportation

Federal Aviation Administration

Transmittal Letter 19-01

November 16, 2018

## PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBE	FDC DATE	SUBJECT
3-Jan-19	NE	Harvard	Harvard State	8/0424	11/6/18	RNAV (GPS) RWY 17, ORIG-B

## AIRAC Date: 3 JANUARY 2019

FDC 8/0424 08K IAP HARVARD STATE, Harvard, NE. RNAV (GPS) RWY 17, ORIG-B... LNAV VISIBILITY CAT B 1 SM. CHART NOTE: CIRCLING NA TO RWYS 14 AND 32. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. DELETE NOTE: USE AURORA MUNI ALTIMETER SETTING; WHEN NOT RECEIVED, USE CENTRAL NEBRASKA RGNL ALTIMETER SETTING AND INCREASE ALL DA 18 FEET, INCREASE ALL MDA 20 FEET, AND VISIBILITY LNAV/VNAV ALL CATS 1/8 MILE. CHART NOTE: USE AURORA MUNI ALTIMETER SETTING; WHEN NOT RECEIVED, USE CENTRAL NEBRASKA RGNL ALTIMETER SETTING: INCREASE LPV DA TO 2120 FEET, INCREASE LNAV/VNAV DA TO 2135 FEET AND VISIBILITY ALL CATS 1/8 SM, INCREASE ALL MDAS 20 FEET. THIS IS RNAV (GPS) RWY 17, ORIG-C. 1809131521-PERM