

**RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
KIMKE (IAF)	ZUCRY (NOPT) (FB)	343.65 / 5.00	3200	LNAV: RW07
NOBCI (IAF)	ZUCRY (NOPT) (FB)	163.57 / 5.00	3200	
ZUCRY (IF/IAF)	CETZO (FB)	073.61 / 4.11	2700	CLIMBING RIGHT TURN TO 3200 DIRECT ZUCRY AND HOLD.
CETZO	VETSY (FB)	073.61 / 2.00	2400	
VETSY (FAF)	RW07 (MAP) (FO)	073.68 / 6.15		
RW07 (MAP)	772 MSL	073.68		ADDITIONAL FLIGHT DATA: CHART FAS OBST: 873 200' AAO 405637N/0750156W CHART 948 TOWER 405408N/0750611W.
772 MSL	ZUCRY (FO)		3200	

1. PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
2. HOLD W ZUCRY, RT, 073.61 INBOUND, 3200 FT. IN LIEU OF PT (IAF)
3. FAC: 073.68 FAF: VETSY DIST FAF TO MAP: 6.15 THLD: 6.15
4. MIN. ALT: ZUCRY 3200, CETZO 2700, VETSY 2400
5. DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
6. MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
7. GS ANGLE:        TCH: 34:1 IS NOT CLEAR
8. MSA FROM:


MAG VAR: 13W EPOCH YEAR: 1995

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N		A	X	
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1140	1	768	1140	1 1/4	768		NA			NA				
CIRCLING	1220	1	848	1280	1 1/4	908									

LEHIGH VALLEY ALTIMETER SETTING MINIMUMS															
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		NA			NA				
LNAV MDA	1420	1 1/4	1048	1420	1 1/2	1048		NA			NA				
CIRCLING	1500	1 1/4	1128	1560	1 1/2	1188									

NOTES:  
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LEHIGH VALLEY ALTIMETER SETTING.  
 CHART NOTE: DME/DME RNP-0.3 NA.  
 CHART NOTE: PROCEDURE NA AT NIGHT.  
 CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.  
 CHART PROFILE NOTE: DESCENT ANGLE NA.

CITY AND STATE BLAIRSTOWN, NJ	ELEVATION: 372 TDZE: 372 AIRPORT NAME: BLAIRSTOWN	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 7, ORIG-A 20 AUGUST 2015	SUP: AMDT: DATED 09/01/2005
----------------------------------	---	------------------------------	--	-----------------------------------



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	344/30 CW 103/30 (NOPT) 103/10 CW 164/10	ZUCRY (IF/IAF) (FB) ZUCRY (IF/IAF) (FB)	3200 3200
2.	103/30 CW 164/30 (NOPT)	103/10 CW 164/10	3800
3.	164/30 CW 254/30	164/5 CW 254/5	3800
4.	164/5 CW 254/5	NOBCI (IAF) (FB)	3200
5.	254/30 CW 344/30	KIMKE (IAF) (FB)	3200

CITY AND STATE BLAIRSTOWN, NJ	ELEVATION: 372 AIRPORT NAME: BLAIRSTOWN	TDZE: 372	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 7, ORIG-A 20 AUGUST 2015	SUP: 4
					AMDT: <b>CHECKED</b>
					DATED: 09/01/2005



**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	KIMKE	KIMKE	010	IAF	IF		FB					
	KIMKE	ZUCRY	020		TF		FB	1.0	343.7 (330.7T)	005.0	AA 03200	
	NOBCI	NOBCI	010	IAF	IF		FB					
	NOBCI	ZUCRY	020		TF		FB	1.0	163.6 (150.6T)	005.0	AA 03200	
	ZUCRY	ZUCRY	010	IAF	HF	R	FO		073.6 (060.6T)	004.0	AA 03200	
		ZUCRY	010	FACF	IF		FB				AA 03200	
		CETZO	011		TF		FB	0.5	073.6 (060.6T)	004.1	AA 02700	
		VETSY	020	FAF	TF		FB	0.5	073.6 (060.6T)	002.0	AA 02400	
		RW07	030	MAP	TF		FO	0.3	073.7 (060.7T)	006.2	AT 01140	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		073.7 (060.7T)		AA 00772	
	ZUCRY	050		DF	R	FO				AA 03200	
	ZUCRY	060		HM	R	FO		073.6 (060.6T)	004.0	AA 03200	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CETZO	N405410.70	W0750927.81	N4054.178	W07509.464
	KIMKE	N404748.10	W0751057.32	N4047.802	W07510.955
	NOBCI	N405631.20	W0751725.45	N4056.520	W07517.424
	VETSY	N405509.50	W0750709.91	N4055.158	W07507.165
	ZUCRY	N405209.70	W0751411.17	N4052.162	W07514.186
	RW07	N405810.10	W0750005.10	N4058.168	W07500.085

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW07	00366	50

CITY AND STATE  
**BLAIRSTOWN, NJ**

ELEVATION: **372** TDZE: **372**  
 AIRPORT NAME:  
**BLAIRSTOWN**

FACILITY IDENTIFIER:  
**RNAV**

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:  
**RNAV (GPS) RWY 7, ORIG-A**  
 20 AUGUST 2015

SUP: **4**  
 AMDT: **ORIG**  
 DATED: **09/01/2005**

