

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.	
TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: PODBE CLIMB TO 4000 DIRECT IGIKE AND ON TRACK 018.00 TO BIBBA AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 197.45 INBOUND. CHART FAS OBST: 975 TREE 434937N/0732443W IYOYO TO RW02: 3.53/36. 1239 AAO 434803N/0732524W CHART AIRPORT ELEV: 273 FAC CROSSES RWY C/L EXTENDED 3000 FROM THLD.	
PULLO (IAF)	AFRED (NOPT) (FB)	103.38 / 5.00	4000		
OXASE (IAF)	AFRED (NOPT) (FB)	283.54 / 5.00	4000		
AFRED (IF/IAF)	JASDU (FB)	013.46 / 3.13	3500		
JASDU	COLKA (FB)	013.45 / 3.60	2400		
COLKA (FAF)	IYOYO/3.60 NM TO PODBE (FB)	013.45 / 2.40			
IYOYO (SEE FORM 8260-10)	PODBE (MAP) (FO)	013.45 / 3.60			
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD S AFRED, RT, 013.46 INBOUND, 4000 FT. IN LIEU OF PT (IAF) 3. FAC: <u>013.45</u> FAF: <u>COLKA</u> DIST FAF TO MAP: <u>6.00</u> THLD: <u>6.49</u> 4. MIN. ALT: <u>AFRED 4000, JASDU 3500, COLKA 2400, IYOYO/3.60 NM TO PODBE 1840</u> 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u> </u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u> </u> TCH: <u>34:1</u> IS NOT CLEAR 8. MSA FROM: <u> </u>				MAG VAR: 15W EPOCH YEAR: 2000	
MINIMUMS					
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: ☐ N ☒ A ☐ X		
CATEGORY =====>	A		B		C
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS
LNAV MDA	1520	1 1/4	1247	1520	1 1/2
CIRCLING	1520	1 1/4	1247	1520	1 1/2
NOTES: CHART NOTE: WHEN VGSI INOP, CIRCLING RWY 20 NA AT NIGHT. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. (SEE FORM 8260-10)					
CITY AND STATE TICONDEROGA, NY		ELEVATION: 273 TDZE: 273 AIRPORT NAME: TICONDEROGA MUNI		FACILITY IDENTIFIER: RNAV PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 2, AMDT 1 10 MAR 2011	
		SUP: AMDT: ORIG DATED 07/10/2003			

QUALITY
CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Cellings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
PODBE (MAP)	673 MSL	013.45	
673 MSL	IGIKE (FB)		
IGIKE	BIBBA (FO)	018.00/12.04	4000

NOTES, (CONT.):

CHART NOTE: USE BURLINGTON ALTIMETER SETTING.

CHART NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 2 NA AT NIGHT.

TAA

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	284/30 CW 103/30	284/15 CW 103/15	6500
2.	284/15 CW 103/15	AFRED (IF/IAF) (FB)	4400
3.	103/30 CW 193/30	103/15 CW 193/15	7100
4.	103/15 CW 193/15	PULLO (IAF) (FB)	4900
5.	193/30 CW 284/30	193/15 CW 284/15	6500
6.	193/15 CW 284/15	OXASE (IAF) (FB)	4900

CITY AND STATE

TICONDEROGA, NY

ELEVATION: 273

TDZE: 273

AIRPORT NAME:

TICONDEROGA MUNI

**FACILITY
IDENTIFIER:**
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 2, AMDT 1

10 MAR 2011

SUP:

AMDT: ORIG

DATED: 07/10/2003

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	4B6	K6FR02	AAFRED	010AFREDK6EA0EE	AR	HF		01350040	+	04000	18000		B JS
SUSAP	4B6	K6FR02	AOXASE	010OXASEK6EA0E	A	IF					18000		B JS
SUSAP	4B6	K6FR02	AOXASE	020AFREDK6EA0EE	B	010TF		28350050	+	04000			B JS
SUSAP	4B6	K6FR02	APULLO	010PULLOK6EA0E	A	IF					18000		B JS
SUSAP	4B6	K6FR02	APULLO	020AFREDK6EA0EE	B	010TF		10340050	+	04000			B JS
SUSAP	4B6	K6FR02	R	010AFREDK6EA0E	I	IF			+	04000	18000		B JS
SUSAP	4B6	K6FR02	R	011JASDUK6EA0E	S	051TF		01350031	+	03500			B JS
SUSAP	4B6	K6FR02	R	020COLKAK6EA1E	F	051TF		01350036	+	02400			B JS
SUSAP	4B6	K6FR02	R	020COLKAK6EA2WN			N	ALNAV					JS
SUSAP	4B6	K6FR02	R	021IYOYOK6EA0E	S	031TF		01350024	V	0184001857	-353		B JS
SUSAP	4B6	K6FR02	R	030PODBEK6EA0EY	M	031TF		01350036		01483	-353		B JS
SUSAP	4B6	K6FR02	R	040	O	M	010CA	0135	+	00673			B JS
SUSAP	4B6	K6FR02	R	050IG1KEK6EA0E		010DF							B JS
SUSAP	4B6	K6FR02	R	060BIBBAK6EA0EY		010TF		0180	+	04000			B JS
SUSAP	4B6	K6FR02	R	070BIBBAK6EA0EE	R020HM			19750040	+	04000			B JS

CITY AND STATE TICONDEROGA, NY	ELEVATION: 273 AIRPORT NAME: TICONDEROGA MUNI	TDZE: 273	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 2, AMDT 1 10 MAR 2011	SUP:	
					AMDT:	ORIG
					DATED:	07/10/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	ORIG
DATED:	07/10/2003