Federal Aviation Administration

Transmittal Letter 19-16

June 14, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: 						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/18/2019	WA	Ephrata	Ephrata Muni	9/6098	6/3/2019	RNAV (GPS) RWY 3, Orig-A

AIRAC Date: 18 July 2019

FDC 9/6098 EPH IAP EPHRATA MUNI, Ephrata, WA. RNAV (GPS) RWY 3, ORIG-A... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C OR ABOVE 46C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 46C (114F). CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MOSES LAKE/GRANT COUNTY INTL ALTIMETER SETTING AND INCREASE ALL DA/MDA 40 FEET AND LNAV CAT C AND D VISIBILITY 1/4 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MOSES LAKE/GRANT COUNTY INTL ALTIMETER SETTING AND INCREASE ALL DA/MDA 40 FEET AND LNAV CAT D VISIBILITY 1/4 MILE. THIS IS RNAV (GPS) RWY 3, ORIG-B. 1905301452-PERM