

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

*LNAV ONLY

CHART NOTE: CIRCLING TO RWY 4 NA AT NIGHT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WHITEMAN AFB ALTIMETER SETTING AND INCREASE ALL DA 61 FEET AND ALL MDA 80 FEET, INCREASE VISIBILITY LNAV CATS C/D 3/8 MILE, LNAV/VNAV ALL CATS AND CIRCLING CAT D 1/4 MILE.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CHART NOTE: VDP NA WITH WHITEMAN AFB ALTIMETER SETTING.

TAA

	FROM	TO	ALT
1.	270/30 CW 090/30 (NOPT)	YIKUY (IF/IAF) (FB)	3000
	090/30 CW 270/30	YIKUY (IF/IAF) (FO)	3000

CITY AND STATE CLINTON, MO	ELEVATION: 823 THRE: 803	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
	AIRPORT NAME: CLINTON RGNL		RNAV (GPS) RWY 36, ORIG	AMDT: NONE
			3 APRIL 2014	DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KGLY
RUNWAY	RW36
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W36A
LTP/FTP LATITUDE	382046.8315N
LTP/FTP LONGITUDE	0934031.6870W
LTP/FTP ELLIPSOIDAL HEIGHT	+02125
FPAP LATITUDE	382215.9800N
FPAP LONGITUDE	0934028.1100W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER 75FF8171

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+02448
FPAP ORTHOMETRIC HEIGHT	+02448



CITY AND STATE CLINTON, MO	ELEVATION: 823 THRE: 803	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, ORIG 3 APRIL 2014	SUP:
	AIRPORT NAME: CLINTON RGNL			AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
 FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/PB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	YIKUY	YIKUY	010	IAF	HF	R	FO		000.8(001.8T)	004.0	AA 03000	
		YIKUY	010	FACF	IF		PB				AA 03000	
		ZIBRU	020	PAF	TF		PB	0.5	000.8(001.8T)	006.1	AA 02500	
		OWMUQ	021	SDF	TF		PB	0.3	000.8(001.8T)	003.6	AA 01340	GS 01358
		RW36	030	MAP	TF		FO	0.3	000.8(001.8T)	001.6	AT 00848	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/PB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		PB		000.8(001.8T)		AA 01053	
	ZULEM	050		DF		FO				AA 03000	
	ZULEM	060		HM	R	FO		180.8(181.8T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	OWMUQ	N381910.78	W0934035.54	N3819.180	W09340.592
	YIKUY	N380930.84	W0934058.74	N3809.514	W09340.979
	ZIBRU	N381535.42	W0934044.17	N3815.590	W09340.736
	ZULEM	N383252.19	W0934002.51	N3832.870	W09340.042
	RW36	N382046.83	W0934031.69	N3820.781	W09340.528

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW36	00803	45



CITY AND STATE CLINTON, MO	ELEVATION: 823	THRE: 803	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: CLINTON RGNL		RNAV	RNAV (GPS) RWY 36, ORIG	AMDT: NONE
				3 APRIL 2014	DATED: