

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE
JEANI (IAF)	OTZEJ (NOPT) (FB)	230.90 / 4.70	3000
FF NDB (IAF)	OTZEJ (NOPT) (FB)	053.47 / 4.75	3000
OTZEJ (IF/IAF)	GUPVE (FB)	140.85 / 6.23	2200
GUPVE (FAF)	RW14 (MAP) (FO)	140.89 / 3.77	
RW14 (MAP)	1320 MSL	140.89	
1320 MSL	LUFEV (FO)		3000

LP: RW14
LNAV: RW14

CLIMB TO 3000 DIRECT LUFEV AND HOLD.

ADDITIONAL FLIGHT DATA:
HOLD SE, LT, 321.01 INBOUND.
CHART FAS OBST: 1062 TREE 331408N/0841707W
FAS OBST: 1139 AAO 331555N/0841948W
1139 AAO 331555N/0841948W
WAAS CHANNEL # 70429
REFERENCE PATH ID: W14A
LTP HAE: 263.6 M

MAG VAR: 4W EPOCH YEAR: 2000

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD NW OTZEJ, RT, 140.85 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 140.89 FAF: GUPVE DIST FAF TO MAP: 3.77 THLD: 3.77
- MIN. ALT: OTZEJ 3000, GUPVE 2200
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MINIMUMS

TAKEOFF: <u>SEE FAA FORM 8260-15A FOR THIS AIRPORT</u>	ALTERNATE: N A <input checked="" type="checkbox"/>														
CATEGORY <u>====></u>	A	B	C	D	E										
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	1320	1	362	1320	1	362		NA			NA				
LNAV MDA	1400	1	442	1400	1	442		NA			NA				
CIRCLING	1400	1	442	1560	1	602		NA			NA				

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: WHEN VGSI INOP, CIRCLING RWY 32 NA AT NIGHT.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ATLANTA RGNL FALCON FIELD ALTIMETER SETTING AND INCREASE ALL MDA 60 FT.
(CONTINUED ON PAGE 2)

CITY AND STATE GRIFFIN, GA	ELEVATION: 958 TDZE: 958 AIRPORT NAME: GRIFFIN-SPALDING COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMD T NO./EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG-D 31 MARCH 2016	SUP: 4 AMD T: CORIG-0 DATED 10/16/2014
--------------------------------------	--	-------------------------------------	---	---

QUALITY
CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):
CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.
CHART NOTE: NIGHT LANDING: RWY 14 NA.

TAA	FROM	TO	ALT
1.	054/30 CW 231/30 (NOPT)	054/15 CW 231/15	3500
2.	054/15 CW 231/15	OTZEJ (IF/IAF) (FB)	3000
3.	231/30 CW 321/30	JEANI (IAF) (FB)	3000
4.	321/30 CW 054/30	321/15 CW 054/15	3500
5.	321/15 CW 054/15	FF NDB (IAF) (FB)	3000

CITY AND STATE GRIFFIN, GA	ELEVATION: 958 TDZE: 958 AIRPORT NAME: GRIFFIN-SPALDING COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG-D 31 MARCH 2016	SUP: 4
				AMDT: ORIG-C
				DATED: 10/16/2014

QUALITY
4
CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	6A2
RUNWAY	RW14
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W14A
LTP/FTP LATITUDE	331349.0715N
LTP/FTP LONGITUDE	0841643.0415W
LTP/FTP ELLIPSOIDAL HEIGHT	+02636
FPAP LATITUDE	331243.8600N
FPAP LONGITUDE	0841530.5000W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1680
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER 56D8D95E

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+02921
FPAP ORTHOMETRIC HEIGHT	+02921

CITY AND STATE GRIFFIN, GA	ELEVATION: 958 TDZE: 958 AIRPORT NAME: GRIFFIN-SPALDING COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 14, ORIG-D 31 MARCH 2016	SUP: 4
				AMDT: ORIG-C
				DATED: 10/16/2014

QUALITY
4
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 6A2

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
FF	010	FFC	IF	FB										N A
FF	020	OTZEJ	TF	FB	1.0	053.5						AA 03000		EE B
JEANI	010	JEANI	IF	FB										E A
JEANI	020	OTZEJ	TF	FB	1.0	230.9						AA 03000		EE B
OTZEJ	010	OTZEJ	HF	FO		140.9			R			AA 03000		EE A
	010	OTZEJ	IF	FB								AA 03000		E I
	020	GUPVE	TF	FB	1.0	140.9						AA 02200		E F
	030	RW14	TF	FO	0.3	140.9		3.00				AT 00998		GY M
	040		CA	FB		140.9						AA 01320		M
	050	LUFEV	DF	FO								AA 03000		EY
	060	LUFEV	HM	FO		321.0			L			AA 03000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
FFC	N331803.31	W0842911.14
GUPVE	N331634.73	W0841947.51
JEANI	N332421.01	W0842046.46
LUFEV	N330605.76	W0840808.79
OTZEJ	N332107.91	W0842452.22

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW14	N331349.07	W0841643.04	00958	40

CITY AND STATE GRIFFIN, GA	ELEVATION: 958 TDZE: 958	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: GRIFFIN-SPALDING COUNTY		RNAV (GPS) RWY 14, ORIG-D	AMDT: 4
			31 MARCH 2016	DATED: 10/16/2014

QUALITY
4
CORIG
CHECKED