Federal Aviation Administration

Transmittal Letter 19-16

June 14, 2019

PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53 (AVAILABLE ON THE WEB AT HTTP://NFDC.FAA.GOV)

The enclosed Standard Instrument Approach Procedures, Departure Procedures/Takeoff Minimums and Fix Actions are effective as indicated.

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: 						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/18/2019	GA	Adel	Cook County	9/5098	6/5/2019	RNAV (GPS) RWY 5, Amdt 1A

AIRAC Date: 18 July 2019

FDC 9/5098 15J IAP COOK COUNTY, Adel, GA. RNAV (GPS) RWY 5, AMDT 1A... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: USE MOULTRIE ALTIMETER SETTING; WHEN NOT RECEIVED, USE VALDOSTA RNGL ALTIMETER SETTING AND INCREASE ALL DA 7 FEET AND ALL MDA 20 FEET. DELETE NOTE: USE MOULTRIE ALTIMETER SETTING; WHEN NOT RECEIVED, USE VALDOSTA RGNL ALTIMETER SETTING AND INCREASE ALL DA 7 FEET AND ALL MDA 20 FEET, INCREASE CIRCLING CAT C VISIBILITY TO 2 1/4 AND CAT D TO 2 1/2 MILE. DELETE NOTE: CIRCLING RWY 15, 33 NA AT NIGHT. DELETE NOTE: RWY 15, 33 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. THIS IS RNAV (GPS) RWY 5, AMDT 1B. 1905291245-PERM