

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
UECKR	SIX	UECKR6.UECKR	FIVE	09/13/2018	26 MAR 2020

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

GENERAL MITCHELL INTL:

TAKEOFF RWY 1L, 1R, 7L, 7R, 13, 19L, 19R, 25L, 25R, 31: CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO PRFEC, THENCE...

...ON TRACK 180.88 TO CROSS OZAUK AT OR ABOVE 11000, THEN ON TRACK 180.60 TO CROSS MAULT AT OR ABOVE 13000, THEN ON TRACK 192.97 TO CROSS UECKR AT OR ABOVE 16000, THEN ON (TRANSITION). MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

EAST TROY MUNI, BURLINGTON MUNI, KENOSHA RGNL, WEST BEND MUNI, HARTFORD MUNI, LAWRENCE J. TIMMERMAN, BATTEN INTL, WAUKESHA COUNTY:

CLIMB ON ASSIGNED HEADING FOR RADAR VECTORS TO PRFEC, THENCE...

...ON TRACK 180.88 TO CROSS OZAUK AT OR ABOVE 11000, THEN ON TRACK 180.60 TO CROSS MAULT AT OR ABOVE 13000, THEN ON TRACK 192.97 TO CROSS UECKR AT OR ABOVE 16000, THEN ON (TRANSITION). MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
DELHI	UECKR6.DELHI	UECKR	LADDI	TRACK 206.93	15.47	16000	1900	
			DELHI	TRACK 185.21	8.61	16000	2200	
SAMPL	UECKR6.SAMPL	UECKR	SAMPL	TRACK 161.67	21.74	16000	1800	

PROCEDURAL DATA NOTES:

- NOTE: RNAV 1.
- NOTE: GPS OR DME/DME/IRU REQUIRED.
- NOTE: RADAR REQUIRED.
- NOTE: TURBOJET AIRCRAFT MAINTAIN 250 KIAS UNTIL ADVISED BY ATC.
- NOTE: NOTIFY ATC IF UNABLE TO COMPLY WITH CROSSING RESTRICTIONS.

TAKEOFF MINIMUMS:

GENERAL MITCHELL INTL:

- RWY 1L, 1R, 7L, 13, 19L, 19R, 25L, 25R: STANDARD.
- RWY 7R: 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 290 FT PER NM TO 1100.
- RWY 31: 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 255 FT PER NM TO 1000.

EAST TROY MUNI:

- RWY 18, 36: NA - ENVIRONMENTAL.
- RWY 8, 26: STANDARD.

BURLINGTON MUNI:

- RWY 1, 19: NA - ENVIRONMENTAL.
- RWY 11: STANDARD.
- RWY 29: 300-1 OR STANDARD WITH MINIMUM CLIMB OF 325 FT PER NM TO 1000.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
UECKR	SIX	UECKR6.UECKR	FIVE	09/13/2018	26 MAR 2020

KENOSHA RGNL:
RWY 7R, 7L, 15, 25R, 25L, 33: STANDARD.

WEST BEND MUNI:
RWY 6: STANDARD.
RWY 13: 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 260 FT PER NM TO 1200.
RWY 24: 300-2 OR STANDARD WITH MINIMUM CLIMB OF 250 FT PER NM TO 1400.
RWY 31: 300-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 220 FT PER NM TO 1100.

HARTFORD MUNI:
RWY 18, 36: NA - ENVIRONMENTAL.
RWY 9, 27: STANDARD.

LAWRENCE J. TIMMERMAN:
RWY 4R, 15R, 22L, 33L: NA – ENVIRONMENTAL.
RWY 4L, 15L, 22R, 33R: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 2000.

BATTEN INTL:
RWY 4, 14, 22, 32: STANDARD.

WAUKESHA COUNTY:
RWY 18, 28, 36: STANDARD.
RWY 10: 400 - 2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 316 FT PER NM TO 1400.

TAKEOFF OBSTACLES NOTES:
 SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURE (ODP).

CONTROLLING OBSTACLES:
GENERAL MITCHELL INTL - RWY 7R: 930 FT MSL ROD ON OL STK 425648.86N/0875138.47W. RWY 31, 885 FT MSL TANK 425819.28N/0875512.44W.
BURLINGTON MUNI - RWY 29: 933 FT MSL TREE 424143.18N/0881937.95W.
WEST BEND MUNI - RWY 13: 1109 FT MSL TREE 432438.00N/0880538.00W. RWY 24, 1156 FT MSL TOWER 432441.00N/0881021.00W. RWY 31, 1039 FT MSL TREE 432602.46N/0880910.76W.
WAUKESHA COUNTY - RWY 10: 1148 FT MSL TOWER 430158.49N/0881225.47W, 1238 FT MSL ROD 430129.88N/0881123.79W

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:
DME/DME ASSESSMENT: SAT (RNP 2.0)
REFERENCE MAG VAR: KMKE 4W 2020

GENERAL MITCHELL INTL - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
EAST TROY MUNI - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
BURLINGTON MUNI - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
KENOSHA RGNL - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
WEST BEND MUNI - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
HARTFORD MUNI - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
LAWRENCE J TIMMERMAN - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
BATTEN INTL - CHART: TOP ALTITUDE: ASSIGNED BY ATC.
WAUKESHA COUNTY - CHART: TOP ALTITUDE: ASSIGNED BY ATC.

PILOT NAVIGATION AREA: 7 NM ARC CENTERED ON PRFEC (IF),
CW FROM: POINT A (BEARING 136 DEGREES TO PRFEC)
TO: POINT B (BEARING 226 DEGREES TO PRFEC)
MINIMUM IF CROSSING ALTITUDE - 6000.



DP NAME UECKR	NUMBER SIX	DP COMPUTER CODE UECKR6.UECKR	SUPERSEDED NUMBER FIVE	DATED 09/13/2018	ACTUAL EFFECTIVE DATE 26 MAR 2020
-------------------------	----------------------	---	----------------------------------	----------------------------	---

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
GENERAL MITCHELL INTL	KMKE	MILWAUKEE	WI
EAST TROY MUNI	K57C	EAST TROY	WI
BURLINGTON MUNI	KBUU	BURLINGTON	WI
KENOSHA RGNL	KENW	KENOSHA	WI
WEST BEND MUNI	KETB	WEST BEND	WI
HARTFORD MUNI	KHXF	HARTFORD	WI
LAWRENCE J TIMMERMAN	KMWC	MILWAUKEE	WI
BATTEN INTL	KRAC	RACINE	WI
WAUKESHA COUNTY	KUES	WAUKESHA	WI

COMMUNICATIONS:

ATIS, CLNC DEL, GND CON, MILWAUKEE DEP CON

FIXES AND/OR NAVAIDS:

REMARKS:

KBUU, KRAC, K57C, KENW, AND KUES ARE OUTSIDE OF THE PNA AREA: TRAINING LETTER ON FILE, APPROVAL LETTER ON FILE. ABBREVIATED AMENDMENT.

FLIGHT INSPECTED BY

PROCESSED VIA AIRCRAFT OPERATIONS GROUP (AVW-33) MEMO, OCTOBER 3, 2018,
SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

Digitally signed by
DONALD H LANIER
Nov 15, 2019

OFFICE **DATE**
FICO

DEVELOPED BY

DONALD LANIER (TARA N. MARTINELLI)

Digitally signed by
DONALD H LANIER
Nov 15, 2019

OFFICE **DATE**
AJV-A431

APPROVED BY

GEORGE DAVIS

Digitally signed by
DONALD H LANIER
Nov 15, 2019

OFFICE **DATE** **TITLE**
AJV-A430 MANAGER

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A ALPA AOPA APA HAI NBAA OTHER: ZAU, MKE TRACON



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
UECKR	SIX	UECKR6.UECKR	FIVE	09/13/2018	26 MAR 2020

CHANGES - REASONS:

1. RWY 11/29 CHANGED TO RWY 9/27 AT KHXF - NEW RWY CONSTRUCTION PROJECT.
2. REMOVED TAKE OBSTACLE NOTES AND REPLACED WITH STATEMENT "SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURE (ODP)." - ALL AIRPORTS HAVE A TEXTUAL ODP WITH TAKEOFF OBSTACLE NOTES.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
UECKR	SIX	UECKR6.UECKR	FIVE	09/13/2018	26 MAR 2020

<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
COMMON ROUTE									
PRFEC	424138.75N/0873837.10W	Y		IF					
OZAUK	423204.26N/0873754.79W	Y	FB	TF	176.88	9.59	AT/ABOVE 11000		
MAULT	422536.61N/0873723.68W	Y	FB	TF	176.60	6.47	AT/ABOVE 13000		
UECKR	421852.61N/0873849.56W	Y	FB	TF	188.97	6.81	AT/ABOVE 16000		
TRANSITIONS									
UECKR	421852.61N/0873849.56W	Y		IF			AT/ABOVE 16000		UECKR6.DELHI
LADDI	420436.91N/0874655.40W	Y	FB	TF	202.93	15.47			
DELHI	415600.00N/0874710.00W	Y	FB	TF	181.21	8.61			
UECKR	421852.61N/0873849.56W	Y		IF			AT/ABOVE 16000		UECKR6.SAMPL
SAMPL	415845.00N/0872745.00W	Y	FB	TF	157.67	21.74			

