

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
BVL VORTAC	ZONSU (FO)	072.16 / 8.37	9000	LNAV: ZETVI
ZONSU (IF/IAF)	UTAVY (FB)	253.14 / 14.69	5900	
UTAVY (FAF)	ZETVI (MAP) (FO)	258.04 / 4.35		CLIMBING LEFT TURN TO 9000 DIRECT ZONSU AND HOLD, CONTINUE CLIMB-IN-HOLD TO 9000.
ZETVI (MAP)	4637 MSL	258.04		
4637 MSL	ZONSU (FO)		9000	

ADDITIONAL FLIGHT DATA:
FAS OBST: 4393 AAO 404242N/1135439W
CHART R-6404A.
CHART R-6404B & D.
CHART R-6404C.
CHART R-6405.
CHART R-6406A.
CHART VDP AT 0.70 MILES TO ZETVI.
UTAVY TO RW26: 3.00/50.

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD E ZONSU, RT, 253.14 INBOUND, 9000 FT. IN LIEU OF PT (IAF)
- FAC: 258.04 FAF: UTAVY DIST FAF TO MAP: 4.35 THLD: 5.10
- MIN. ALT: ZONSU 9000, UTAVY 5900
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCP: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW26 12000

MAG VAR: 12E EPOCH YEAR: 2015

MINIMUMS															
TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			X					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	4740	1	512	4740	1	512	4740	1 3/8	512	4740	1 3/8	512	4740	1 3/8	512
CIRCLING	4740	1	503	4740	1	503	4860	1 1/2	623	5080	2 3/4	843	5700	3	1463

NOTES:
CHART NOTE: CIRCLING NA NORTH OF RWY 08-26.
CHART NOTE: DME/DME RNP-0.3 NA.



CITY AND STATE WENDOVER, UT	ELEVATION: 4237 TDZE: 4228 AIRPORT NAME: WENDOVER	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1 13 NOVEMBER 2014	SUP: AMDT: ORIG-A DATED 11/30/2000
--------------------------------	---	------------------------------	---	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE WENDOVER, UT	ELEVATION: 4237 TDZE: 4228 AIRPORT NAME: WENDOVER	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1 13 NOVEMBER 2014	SUP:
				AMDT: ORIG-A
				DATED: 11/30/2000



U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	BVL	BVL	010		IF		FB					
	BVL	ZONSU	020		TF		FO	2.0	072.2 (084.2T)	008.4	AA 09000	
	BVL	ZONSU	030	IAF	HF	R	FO		253.1 (265.1T)	007.0	AA 09000	
		ZONSU	010	FACF	IF		FB				AA 09000	
		UTAVY	020	FAF	TF		FB	0.5	253.1 (265.1T)	014.7	AA 05900	
		ZETVI	030	MAP	TF		FO	0.3	258.0 (270.0T)	004.4	AT 04516	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		258.0 (270.0T)		AA 04637	
	ZONSU	050		DF	L	FO				AA 09000	
	ZONSU	060		HM	R	FO		253.1 (265.1T)	007.0	AA 09000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	BVL	N404333.95	W1134526.70	N4043.566	W11345.445
	UTAVY	N404308.20	W1135344.05	N4043.137	W11353.734
	ZETVI	N404308.25	W1135927.31	N4043.138	W11359.455
	ZONSU	N404424.57	W1133429.32	N4044.410	W11334.489
	RW26	N404308.23	W1140026.49	N4043.137	W11400.442

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW26	04227	50



CITY AND STATE WENDOVER, UT	ELEVATION: 4237	TDZE: 4228	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: WENDOVER		RNAV	RNAV (GPS) RWY 26, AMDT 1 13 NOVEMBER 2014	AMDT: ORIG-A
					DATED: 11/30/2000