

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
RST VOR/DME (IF/IAF)	REDDS INT/RST 12.18 DME	319.26 / 12.18	3000	MAP: 4.80 MILES AFTER REDDS INT/12.18 DME OR AT 16.98 DME FIX
				CLIMB TO 2500 THEN CLIMBING LEFT TURN TO 3000 VIA RST VOR/DME R-319 TO RST VOR/DME AND HOLD.
				ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1657 WINDMILL 435906N/0925103W FAC CROSSES AIRPORT REFERENCE POINT

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD SE RST VOR/DME, RT, 319.26 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC 319.26 FAF REDDS INT/RST 12.18 DME DIST FAF TO MAP 4.80 THLD
- MIN. ALT RST VOR/DME 3000, REDDS 3000
- MSA FROM: RST VOR/DME 090-270 3900, 270-090 3300

MAG VAR: 5E EPOCH YEAR: 1965

MINIMUMS																
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @				
CATEGORY =====>	A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
CIRCLING	1960	1	655	1980	1	675	2000	2	695		NA					

NOTES:
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ROCHESTER INTL ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET. @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART PLANVIEW NOTE: NOPT FOR ARRIVALS ON RST VOR/DME AIRWAY RADIALS 076 CW 213.

CITY AND STATE DODGE CENTER, MN	ELEVATION: 1305 TDZE:	FACILITY IDENTIFIER: RST	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP VOR OR GPS-A
	AIRPORT NAME:		VOR-A, AMDT 4	AMDT 3A
	DODGE CENTER		15 JAN 2009	DATE 03/27/2002