

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

GPS RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97. 33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: LOMBB WP
MINGY WP	BOWSU WP	300.95/9.18	9500	CLIMBING RIGHT TURN TO 12000 DIRECT MINGY WP AND HOLD
BOWSU WP (IAF)	EXUTY WP	302.71/5.00	8000	
JUWSO WP (IAF)	EXUTY WP	122.62/6.81	8000	
EXUTY WP	LYRIT WP	032.67/5.30	6600	
				ADDITIONAL FLIGHT DATA:
				HOLD NE, RT, 220.00 INBOUND
				FAS OBST: 5227 TREE 344615/1115114
				LYRIT WP TO RW03: 3.00/50

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN _____ MILES OF _____ (IAF)
2. PROFILE STARTS AT EXUTY WP
3. FAC 032.72 FAF LYRIT WP DIST FAF TO MAP _____ THLD 5.70
4. MIN. ALT EXUTY WP 8000, LYRIT WP 6600
8. MSA FROM: LOMBB WP 10400

MAG VAR: 13E EPOCH YEAR: 85

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15 FOR THIS AIRPORT				ALTERNATE: N A		X						
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-3	6140	1 1/2	1348	6240	1 1/2	1448	6560	3	1768	6560	3	1768			
CIRCLING	6140	1 1/2	1310	6240	1 1/2	1410	6560	3	1730	6560	3	1730			

NOTES:

WHEN LOCAL ALTIMETER NOT RECEIVED, PROCEDURE NA
CAT D CIRCLING NOT AUTHORIZED NW OF RWY 3-21

CITY AND STATE	ELEVATION: 4830 TDZE: 4792	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP
SEDONA, AZ	AIRPORT NAME: SEDONA	GPS	FEB 24 2000 GPS RWY 3, ORIG	AMDT NONE
				DATED