

**Federal Aviation
Administration**

Transmittal Letter 25-14

May 9, 2025

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
6/12/2025	OH	Celina	Lakefield	5/0964	4/25/2025	RNAV (GPS) RWY 8, Orig-A

AIRAC Date: 12 JUNE 2025

FDC 5/0964 CQA IAP LAKEFIELD, CELINA, OH. RNAV (GPS) RWY 8, ORIG-A... CHART CIRCLING ICON. CAT C CMDA 1520/HAA 626 VIS 1 3/4 SM. CHANGE MISSED APPROACH TO READ: CLIMB TO 3000 DIRECT EVOZU AND ON TRACK 127 TO ICREB AND HOLD. CHANGE NOTE TO READ: USE AXV ALTIMETER SETTING. WHEN NOT RECEIVED USE DAY ALTIMETER SETTING AND INCREASE LPV DA TO 1293 AND ALL CATS VISIBILITY 1/4 SM, INCREASE LNAV/VNAV DA TO 1350 AND ALL CATS VISIBILITY 1/2 SM, INCREASE ALL MDAS 80 FEET AND VISIBILITY CAT C 1/4 SM. DELETE NOTE: DME/DME RNP-0.3 NA. PBN REQUIREMENTS NOTE: RNP APCH - GPS. CHANGE HELICOPTER NOTE TO READ: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NA. THIS IS RNAV (GPS) RWY 8, ORIG-B. 2504241643-PERM