

**Federal Aviation  
Administration**

**Transmittal Letter 19-02**

**November 30, 2018**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3-Jan-19	MN	Grand Rapids	Grand Rapids/Itasca Co-Gordon Newstrom Fld	8/8447	11/20/18	RNAV (GPS) RWY 16, Orig

**AIRAC Date: 3 JANUARY 2019**

FDC **8/8447** GPZ IAP GRAND RAPIDS/ITASCA CO-GORDON NEWSTROM FLD, Grand Rapids, MN. RNAV (GPS) RWY 16, ORIG... LNAV HAT 433 ALL CATS. CIRCLING CATS A/B/C HAA 544, CAT D MDA 2000/HAA 644. CHART APT ELEV 1356, DELETE APT ELEV 1355. CHART TDZE 1327, DELETE TDZE 1332. CHART CIRCLING ICON. CHART NOTE: CIRCLING RWY 5 NA AT NIGHT. CHART NOTE: CIRCLING NA TO RWYS 10 AND 28. CHART NOTE: CIRCLING NA FOR CAT D E OF RWY 16-34. PBN REQUIREMENTS NOTE: RNP APCH. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HIBBING ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET, INCREASE LNAV CAT C VISIBILITY 1/8 SM AND CIRCLING CATS C/D VISIBILITY 1/4 SM. DELETE NOTE: CIRCLING TO RWY 10-28 AND 5-23 NA AT NIGHT. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HIBBINGS ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET AND INCREASE LNAV AND CIRCLING CAT C VISIBILITY 1/4 MILE. THIS IS RNAV (GPS) RWY 16, ORIG-A. 1811161724-PERM