

**RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE	
ZERAX (IF/IAF)	PAULL (FB)	255.53 / 6.82	2400	LNAV: RW26 CLIMB TO 3000 DIRECT GIRME AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 075.24 INBOUND. CHART FAS OBST: 925 TREE 370300N/0855505W CHART 931 TREE 370309N/0855400W. CHART TDZE 715.3
PAULL (FAF)	FIKSO/2.30 NM TO RW26 (FB)	255.45 / 2.86		
FIKSO/2.30 NM TO RW26	RW26 (MAP) (FO)	255.45 / 2.30		
RW26 (MAP)	1116 MSL	255.45	3000	
1116 MSL	GIRME (FO)			

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD E ZERAX, RT, 255.53 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 255.45 FAF: PAULL DIST FAF TO MAP: 5.16 THLD: 5.16
- MIN. ALT: **ZERAX 3000, PAULL 2400, FIKSO/2.30 NM TO RW26 1480**
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: **34:1 IS NOT CLEAR**
- MSA FROM:

MAG VAR: **4W** EPOCH YEAR: **2015**

MINIMUMS

TAKEOFF:	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A			STANDARD @					
CATEGORY >>>>>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1200	1	485	1200	1	485	1200	1 3/8	485	1200	1 3/8	485			
CIRCLING	1220	1	504	1240	1	524	1260	1 1/2	544	1540	2 3/4	824			

NOTES:
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BOWLING GREEN ALTIMETER SETTING AND INCREASE ALL MDA 160 FEET, LNAV CAT C AND D VISIBILITY 1/2 MILE, CIRCLING CAT C 1/2 MILE, CAT D (CONTINUED ON PAGE 2)

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 @ CAT D 900-2 3/4



CITY AND STATE GLASGOW, KY	ELEVATION: 716 TDZE: 715 AIRPORT NAME: GLASGOW MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 2A 4 FEBRUARY 2016	SUP: AMDT: 2 DATED 05/31/2012
--------------------------------------	--	-------------------------------------	---	---

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

1/4 MILE.

CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.

CHART NOTE: NIGHT LANDING: RWY 26 NA.

TAA	FROM	TO	ALT
1.	166/30 CW 218/30 (NOPT)	166/26 CW 218/26	3100
2.	166/26 CW 218/26	ZERAX (IF/IAF) (FB)	3000
	218/30 CW 346/30 (NOPT)	ZERAX (IF/IAF) (FB)	3000
3.	346/30 CW 166/30	ZERAX (IF/IAF) (FO)	3000

QUALITY
22
CHECKED

CITY AND STATE GLASGOW, KY	ELEVATION: 716	TDZE: 715	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:	
	AIRPORT NAME: GLASGOW MUNI			RNAV (GPS) RWY 26, AMDT 2A	AMDT: 2	
				4 FEBRUARY 2016	DATED: 05/31/2012	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KGLW

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ZERAX	010	ZERAX	HF	FO		255.5			R			AA 03000		EE A
	010	ZERAX	IF	FB								AA 03000		E I
	020	PAULL	TF	FB	0.5	255.5						AA 02400		E F
	021	FIKSO	TF	FB	0.3	255.5		3.02				AA 01480 GS 01488		E S
	030	RW26	TF	FO	0.3	255.5		3.02				AT 00755		GY M
	040		CA	FB		255.5						AA 01116		M
	050	GIRME	DF	FO								AA 03000		EY
	060	GIRME	HM	FO		075.2			R			AA 03000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
FIKSO	N370245.87	W0855402.69
GIRME	N365754.40	W0861158.12
PAULL	N370340.67	W0855039.16
ZERAX	N370550.77	W0854234.12

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW26	N370201.81	W0855646.06	00715	40

CITY AND STATE
GLASGOW, KY

ELEVATION: 716 TDZE: 715
AIRPORT NAME:
GLASGOW MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 26, AMDT 2A
4 FEBRUARY 2016

SUP:
AMDT: 2
DATED: 05/31/2012

